

---

ComponentOne

# **OutlookBar for WPF and Silverlight**

Copyright © 1987-2015 GrapeCity, Inc. All rights reserved.

**ComponentOne, a division of GrapeCity**

201 South Highland Avenue, Third Floor  
Pittsburgh, PA 15206 USA

**Website:** <http://www.componentone.com>  
**Sales:** [sales@componentone.com](mailto:sales@componentone.com)  
**Telephone:** 1.800.858.2739 or 1.412.681.4343 (Pittsburgh, PA USA Office)

**Trademarks**

The ComponentOne product name is a trademark and ComponentOne is a registered trademark of GrapeCity, Inc. All other trademarks used herein are the properties of their respective owners.

**Warranty**

ComponentOne warrants that the media on which the software is delivered is free from defects in material and workmanship, assuming normal use, for a period of 90 days from the date of purchase. If a defect occurs during this time, you may return the defective media to ComponentOne, along with a dated proof of purchase, and ComponentOne will replace it at no charge. After 90 days, you can obtain a replacement for the defective media by sending it and a check for \$25 (to cover postage and handling) to ComponentOne.

Except for the express warranty of the original media on which the software is delivered is set forth here, ComponentOne makes no other warranties, express or implied. Every attempt has been made to ensure that the information contained in this manual is correct as of the time it was written. ComponentOne is not responsible for any errors or omissions. ComponentOne's liability is limited to the amount you paid for the product. ComponentOne is not liable for any special, consequential, or other damages for any reason.

**Copying and Distribution**

While you are welcome to make backup copies of the software for your own use and protection, you are not permitted to make copies for the use of anyone else. We put a lot of time and effort into creating this product, and we appreciate your support in seeing that it is used by licensed users only.

# Table of Contents

OutlookBar for WPF and Silverlight Overview .....	7
Help with WPF and Silverlight Edition .....	7
C1OutlookBar Features .....	7
C1OutlookBar Quick Start .....	8
Step 1 of 3: Creating a WPF/Silverlight Application.....	8
Step 2 of 3: Adding C1OutlookItems.....	9
Step 3 of 3: Running the Application .....	11
XAML Quick Reference .....	12
Working with C1OutlookBar .....	13
C1OutlookBar Elements.....	14
Expanding and Collapsing C1OutlookBar .....	14
Collapsed Content.....	15
Collapsing Direction .....	17
Collapsing Items in C1OutlookBar .....	17
C1OutlookBar Layout and Appearance.....	18
Themes.....	19
Templates .....	21
ComponentOne ClearStyle Technology.....	23
How ClearStyle Works.....	24
OutlookBar ClearStyle Properties .....	24
C1OutlookBarTask-Based Help .....	25
Adding an Image to a C1OutlookItem .....	26
Selecting an Item in the C1OutlookBar.....	27
API Reference.....	29
C1.Silverlight.OutlookBar.5 Assembly .....	29
Namespaces .....	29
C1.Silverlight.OutlookBar Namespace .....	29
Overview .....	29
Classes.....	29
C1OutlookBar.....	29
Overview .....	30
Members.....	31
C1OutlookBar Constructor.....	40

Methods.....	41
OnApplyTemplate Method .....	42
Properties.....	43
CollapsedContent Property.....	47
CollapsedTemplate Property .....	48
ContentTemplate Property .....	48
Dock Property .....	49
ExpandedWidth Property .....	49
FirstOverflowIndex Property.....	50
IsExpanded Property .....	50
ItemBackground Property.....	51
ItemForeground Property .....	51
LargeIconTemplate Property .....	52
MouseOverBrush Property .....	52
SelectedBackground Property .....	53
SelectedIndex Property.....	54
SelectedItem Property .....	54
ShowFewerButtonsCommand Property .....	55
ShowMoreButtonsCommand Property .....	55
SmallIconTemplate Property .....	56
UnselectedContentMode Property.....	56
Fields .....	57
CollapsedContentProperty Field .....	58
CollapsedTemplateProperty Field.....	59
ContentTemplateProperty Field .....	60
DockProperty Field.....	60
ExpandedWidthProperty Field.....	61
FirstOverflowIndexProperty Field.....	61
IsExpandedProperty Field .....	62
ItemBackgroundProperty Field .....	62
ItemForegroundProperty Field .....	63
LargeIconTemplateProperty Field.....	63
MouseOverBrushProperty Field .....	64
SelectedBackgroundProperty Field.....	64
SelectedIndexProperty Field.....	65
SelectedItemProperty Field .....	66

ShowFewerButtonsCommandProperty Field .....	66
ShowMoreButtonsCommandProperty Field .....	67
SmallIconTemplateProperty Field.....	67
UnselectedContentModeProperty Field .....	68
Events.....	68
SelectedIndexChanged Event .....	70
SelectedItemChanged Event.....	71
C1OutlookItem.....	72
Overview .....	73
Members.....	73
C1OutlookItem Constructor.....	81
Methods.....	81
OnApplyTemplate Method .....	83
Properties.....	83
Header Property.....	87
HeaderTemplate Property .....	88
IsMouseOver Property.....	88
IsSelected Property .....	89
LargeIcon Property.....	89
LargeIconTemplate Property .....	90
MouseOverBrush Property .....	90
SelectedBackground Property .....	91
SmallIcon Property.....	91
SmallIconTemplate Property .....	92
Fields .....	92
HeaderProperty Field.....	93
HeaderTemplateProperty Field .....	94
IsMouseOverProperty Field .....	94
IsSelectedProperty Field .....	95
LargeIconProperty Field .....	95
LargeIconTemplateProperty Field.....	96
MouseOverBrushProperty Field .....	96
SelectedBackgroundProperty Field.....	97
SmallIconProperty Field .....	97
SmallIconTemplateProperty Field.....	98
Events.....	98

IsMouseOverChanged Event.....	100
C1OutlookPanel .....	101
Overview .....	102
Members.....	103
C1OutlookPanel Constructor .....	108
Enumerations.....	108
C1HorizontalDock .....	108
C1.WPF.OutlookBar.4 Assembly .....	109
Namespaces .....	109
C1.WPF.OutlookBar Namespace.....	109
Overview .....	109
Classes.....	110
C1OutlookBar .....	110
Overview .....	111
Members.....	112
C1OutlookBar Constructor.....	130
Methods.....	130
OnApplyTemplate Method .....	134
Properties.....	134
CollapsedContent Property.....	142
CollapsedTemplate Property .....	142
ContentTemplate Property .....	143
Dock Property .....	143
ExpandedWidth Property .....	144
FirstOverflowIndex Property.....	144
IsExpanded Property .....	145
ItemBackground Property.....	145
ItemForeground Property .....	146
LargeIconTemplate Property .....	146
MouseOverBrush Property .....	147
SelectedBackground Property .....	147
SelectedIndex Property.....	148
SelectedItem Property .....	148
ShowFewerButtonsCommand Property .....	149
ShowMoreButtonsCommand Property .....	149
SmallIconTemplate Property .....	150

UnselectedContentMode Property.....	150
Fields .....	151
CollapsedContentProperty Field .....	153
CollapsedTemplateProperty Field.....	153
ContentTemplateProperty Field .....	154
DockProperty Field.....	154
ExpandedWidthProperty Field.....	155
FirstOverflowIndexProperty Field .....	155
IsExpandedProperty Field .....	156
ItemBackgroundProperty Field .....	157
ItemForegroundProperty Field .....	157
LargeIconTemplateProperty Field.....	158
MouseOverBrushProperty Field .....	158
SelectedBackgroundProperty Field.....	159
SelectedIndexProperty Field .....	159
SelectedItemProperty Field .....	160
ShowFewerButtonsCommandProperty Field .....	160
ShowMoreButtonsCommandProperty Field .....	161
SmallIconTemplateProperty Field.....	161
UnselectedContentModeProperty Field .....	162
Events.....	163
SelectedIndexChanged Event .....	169
SelectedItemChanged Event.....	169
C1OutlookItem.....	170
Overview .....	171
Members.....	171
C1OutlookItem Constructor.....	172
Methods.....	172
OnApplyTemplate Method .....	176
Properties.....	176
Header Property.....	182
HeaderTemplate Property .....	183
IsSelected Property .....	183
LargeIcon Property.....	190
LargeIconTemplate Property .....	190
MouseOverBrush Property .....	191

SelectedBackground Property .....	191
SmallIcon Property.....	192
SmallIconTemplate Property .....	192
Fields .....	193
HeaderProperty Field.....	193
HeaderTemplateProperty Field .....	194
IsSelectedProperty Field .....	195
LargeIconProperty Field.....	195
LargeIconTemplateProperty Field.....	196
MouseOverBrushProperty Field .....	196
SelectedBackgroundProperty Field.....	197
SmallIconProperty Field .....	197
SmallIconTemplateProperty Field.....	198
Events.....	198
IsMouseOverChanged Event.....	204
C1OutlookPanel .....	205
Overview .....	206
Members.....	207
C1OutlookPanel Constructor .....	220
Enumerations.....	221
C1HorizontalDock .....	221
SmartAssembly.Attributes Namespace .....	222
Overview .....	222
Classes.....	222
PoweredByAttribute .....	222
Overview .....	223
Members.....	223
PoweredByAttribute Constructor .....	224



# OutlookBar for WPF and Silverlight

## Overview

Group menus and controls into distinct categories with this side bar navigation system.

**OutlookBar for WPF and Silverlight** mimics the Microsoft Outlook navigation pane. It consists of any number of categories represented by buttons where each button has a header as well as a panel for adding additional controls.

## See Also

[Help with WPF and Silverlight Edition](#)

## Help with WPF and Silverlight Edition

- For information on installing **ComponentOne Studio WPF Edition**, licensing, technical support, namespaces and creating a project with the control, please visit [Getting Started with WPF Edition](#).
- For information on installing **ComponentOne Studio Silverlight Edition**, licensing, technical support, namespaces and creating a project with the control, please visit [Getting Started with Silverlight Edition](#).

## C1OutlookBar Features

The following are some of the main features of **C1OutlookBar** that you may find useful:

- **Microsoft Outlook-style UI**  
Group content and navigation menus into distinct categories just like the navigation system used in Microsoft Outlook 2007 and 2010. This model helps you organize content and allows end-users to navigate quickly.
- **Office 2007 and 2010 Themes**  
**C1OutlookBar** supports several different Office 2007 and 2010 themes including blue, black and silver. These themes work just like standard Silverlight themes. See the [Themes](#) topic of this documentation for more information.
- **Expand/Collapse**  
Enable the **C1OutlookBar** control to collapse to the left or right of the page. See [Expanding and Collapsing C1OutlookBar](#) for more information.
- **Stackable Buttons**  
Use the splitter bar to stack buttons into the collapsed item panel located at the bottom of the control. When buttons overflow they will appear in the drop-down menu for selection.
- **Flexible Data Binding**  
**C1OutlookBar** is an **ItemsControl** that can be bound to any list of objects of any data type using DataTemplates to create a visual representation of the items. See the [Adding an Image to a C1OutlookItem](#) topic for an example.

- **Easily Change Colors with ClearStyle**  
**C1OutlookBar** supports **ComponentOne ClearStyle technology** which allows you to easily change control brushes without having to override templates. By just setting a few brush properties in Visual Studio you can quickly style each part of the accordion. See [OutlookBar ClearStyle Properties](#) for more information on the ClearStyle technology.

## C1OutlookBar Quick Start

The following quick start guide is intended to get you up and running with **OutlookBar for WPF and Silverlight**. In this quick start, you'll start in Visual Studio to create a new project, add a **C1OutlookBar** to your application, and then add *Inbox* and *Tasks* **C1OutlookItems**, which will look similar to the Microsoft Outlook navigation pane.

### See Also

[XAML Quick Reference](#)

[Step 2 of 3: Adding C1OutlookItems](#)

[Step 3 of 3: Running the Application](#)

## Step 1 of 3: Creating a WPF/Silverlight Application

In this step you'll create a WPF/Silverlight application in Visual Studio using **OutlookBar for WPF and Silverlight**.

To set up your project and add a **C1OutlookBar** control to your application, complete the following steps:

1. In Visual Studio, select **File | New | Project**. Note that Visual Studio 2010 is used to complete the steps in this quick start.
2. In the **New Project** dialog box, select a language in the left pane (in this example, C# is used), and in the templates list select **WPF or Silverlight Application**.
3. In the .NET Framework drop-down list, select **.NET Framework 3.5** or later.
4. Enter a **Name** for your project and click **OK**. The **New WPF Application** or **New Silverlight Application** dialog box will appear.
5. Uncheck the **Host the WPF or Silverlight application in a new Web site** box, if necessary, and click **OK**. The **MainWindow.xaml** file opens.
6. In the XAML window of the project, place the cursor between the `<Grid>` and `</Grid>` tags and click once.
7. Navigate to the Toolbox and drag the **C1OutlookBar** icon in between the `<Grid>` tags to add the **C1OutlookBar** to **MainWindow.xaml** or **MainPage.xaml**. The XAML markup will now look similar to the following:

WPF XAML

Copy Code

```
<Window xmlns:c1="http://schemas.componentone.com/winfx/2006/xaml"
x:Class="WpfApplication17.MainWindow"
    xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
    xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
    Title="MainWindow" Height="350" Width="525">
    <Grid>
        <c1:C1OutlookBar />
    </Grid>
</Window>
```

8.

Silverlight XAML	Copy Code
<pre>&lt;UserControl x:Class="OutlookBar.MainPage"     xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"     xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"     xmlns:d="http://schemas.microsoft.com/expression/blend/2008"     xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"     mc:Ignorable="d"     d:DesignHeight="300" d:DesignWidth="400"     xmlns:c1="http://schemas.componentone.com/winfx/2006/xaml" xmlns:my="clr-namespace:C1.Silverlight;assembly=C1.Silverlight"&gt;      &lt;Grid x:Name="LayoutRoot" Background="White"&gt;         &lt;c1:C1OutlookBar c1:C1NagScreen.Nag="True"&gt;          &lt;/c1:C1OutlookBar&gt;     &lt;/Grid&gt; &lt;/UserControl&gt;</pre>	

In the next step, you will add [C1OutlookItems](#) to the [C1OutlookBar](#).

## Step 2 of 3: Adding C1OutlookItems

Next we are going to add [C1OutlookItems](#) to the [C1OutlookBar](#). We'll add two items, an *Inbox* folder and a *Tasks* folder.

1. In the XAML markup, place your cursor between the `<c1:C1OutlookBar>``</c1:C1OutlookBar>` tags and press ENTER.
2. Add a [C1OutlookItem](#) control within these tags with **Header="Inbox"** using the following XAML markup:
- 3.

4. `<c1:C1OutlookItem Header="Inbox"> </c1:C1OutlookItem>`
- 5.
6. Next we'll add a **C1TreeView** containing folders that will appear in the [C1OutlookBar](#). Add the following XAML within the `<c1:C1OutlookItem>` tags:

XAML	Copy Code
<pre> &lt;c1:C1TreeView x:Name="contacts" BorderThickness="0" &gt;     &lt;c1:C1TreeViewItem Header="Inbox" IsExpanded="True"&gt;         &lt;c1:C1TreeViewItem &gt;             &lt;c1:C1TreeViewItem.Header&gt;                 &lt;StackPanel Orientation="Horizontal"&gt;                     &lt;TextBlock Text="Folder1"/&gt;                 &lt;/StackPanel&gt;             &lt;/c1:C1TreeViewItem.Header&gt;         &lt;/c1:C1TreeViewItem&gt;         &lt;c1:C1TreeViewItem &gt;             &lt;c1:C1TreeViewItem.Header&gt;                 &lt;StackPanel Orientation="Horizontal"&gt;                     &lt;TextBlock Text="Folder2"/&gt;                 &lt;/StackPanel&gt;             &lt;/c1:C1TreeViewItem.Header&gt;         &lt;/c1:C1TreeViewItem&gt;     &lt;/c1:C1TreeViewItem&gt; &lt;/c1:C1TreeView&gt; </pre>	

7. Let's add another [C1OutlookItem](#) with a **C1TreeView** to display a **Tasks** folder. Add the following XAML markup after the closing `</c1:C1OutlookItem>` tag.

XAML	Copy Code
<pre> &lt;c1:C1OutlookItem x:Name="selectedItem" Header="Tasks" &gt;     &lt;c1:C1TreeView x:Name="tasks" BorderThickness="0" &gt;         &lt;c1:C1TreeViewItem Header="My Tasks" IsExpanded="True"&gt;             &lt;c1:C1TreeViewItem &gt;                 &lt;c1:C1TreeViewItem.Header&gt;                     &lt;StackPanel Orientation="Horizontal"&gt;                         &lt;TextBlock Text="To-Do List"/&gt;                     &lt;/StackPanel&gt;                 &lt;/c1:C1TreeViewItem.Header&gt;             &lt;/c1:C1TreeViewItem&gt;         &lt;/c1:C1TreeViewItem&gt;     &lt;/c1:C1TreeView&gt; </pre>	

```

        </c1:C1TreeViewItem>
        <c1:C1TreeViewItem >
            <c1:C1TreeViewItem.Header>
                <StackPanel Orientation="Horizontal">
                    <TextBlock Text="Tasks"/>
                </StackPanel>
            </c1:C1TreeViewItem.Header>
        </c1:C1TreeViewItem>
    </c1:C1TreeViewItem>
</c1:C1TreeView>
</c1:C1OutlookItem>


```

In the next step you will run the application.

## Step 3 of 3: Running the Application

Now that you've created an application with a [C1OutlookBar](#), you're ready to run it. Complete the following steps:

1. From the **Debug** menu, select **Start Debugging** to view how your application will appear at run time. Your application will look similar to the following:



2. Click the *Tasks* [C1OutlookItem](#) to switch to that item.

Congratulations! You have successfully completed the **C1OutlookBar** quick start.

# XAML Quick Reference

This topic is dedicated to providing a quick overview of the XAML used to create a [C1OutlookBar](#) and [C1OutlookItem](#).

To get started developing, add a **c1** namespace declaration in the root element tag:

```
xmlns:c1="http://schemas.componentone.com/winfx/2006/xaml"
```

Here is an example of a very basic [C1OutlookBar](#) with multiple [C1OutlookItem](#) items.

XAML	Copy Code
<pre>&lt;c1:C1OutlookBar&gt;     &lt;c1:C1OutlookItem /&gt;     &lt;c1:C1OutlookItem /&gt;     &lt;c1:C1OutlookItem /&gt; &lt;/c1:C1OutlookBar&gt;</pre>	

Below is the XAML for a more detailed example of an [C1OutlookBar](#) with multiple [C1OutlookItems](#) containing icons:


XAML	Copy Code
<pre>&lt;c1:C1OutlookBar IsExpanded="True" FontFamily="Arial" MinWidth="36" ExpandedWidth="300" c1:C1NagScreen.Nag="True"&gt;     &lt;!-- Inbox --&gt;     &lt;c1:C1OutlookItem Header="Inbox" LargeIcon="Resources/Inbox24.png" SmallIcon="Resources/Inbox.png" c1:C1NagScreen.Nag="True"&gt;         &lt;userControls:Inbox/&gt;     &lt;/c1:C1OutlookItem&gt;     &lt;!-- Contacts --&gt;     &lt;c1:C1OutlookItem Header="Contacts" LargeIcon="Resources/Contacts24.png" SmallIcon="Resources/Contacts.png" c1:C1NagScreen.Nag="True"&gt;         &lt;userControls:Contacts/&gt;     &lt;/c1:C1OutlookItem&gt;     &lt;!-- Tasks --&gt;     &lt;c1:C1OutlookItem Header="Tasks" LargeIcon="Resources/Tasks24.png" SmallIcon="Resources/Tasks.png" c1:C1NagScreen.Nag="True"&gt;         &lt;userControls:Tasks/&gt;     &lt;/c1:C1OutlookItem&gt;     &lt;!-- Notes --&gt;</pre>	

```

        <c1:C1OutlookItem Header="Notes" LargeIcon="Resources/Notes24.png"
SmallIcon="Resources/Notes.png" c1:C1NagScreen.Nag="True">
            <userControls:Notes/>
        </c1:C1OutlookItem>
    </c1:C1OutlookBar>

```

This XAML results in the following:



## Working with C1OutlookBar

**OutlookBar for WPF and Silverlight** includes the [C1OutlookBar](#) control, which provides a side bar navigation system similar to Microsoft Outlook. The following topics provide more information on the [C1OutlookBar](#) and the elements that can be added to it.


### See Also

[C1OutlookBar Elements](#)

[Expanding and Collapsing C1OutlookBar](#)

# C1OutlookBar Elements

The [C1OutlookBar](#) serves as a container in which you can add [C1OutlookItems](#) with icons to create a simple navigation system. The following elements make up the [C1OutlookBar](#):




## Expanding and Collapsing C1OutlookBar

**OutlookBar for WPF and Silverlight** provides the ability to expand and collapse a [C1OutlookBar](#) so that you make room for other controls or elements. Here are examples of an expanded and collapsed [C1OutlookBar](#):

Expanded	Collapsed





## See Also

[Collapsed Content](#)

[Collapsing Direction](#)

## Collapsed Content

When a [C1OutlookBar](#) is collapsed, the central content region can display customized collapsed content. In Microsoft Outlook 2007-2010, this area is simply vertical text that reads "**Navigation Pane**". This region can be associated with a selected item for added flexibility, but this is not a requirement. There are two options for showing collapsed content.

**Option A:** Use the [CollapsedContent](#) property to display text when the [C1OutlookBar](#) is collapsed.

```
<c1:C1OutlookBar CollapsedContent = "Navigation Pane" />
```




**Option B:** Use the [CollapsedContent](#) property to display the same collapsed content no matter which item is selected.

XAML	Copy Code
<pre>&lt;c1:C1OutlookBar&gt;     &lt;c1:C1OutlookBar.CollapsedContent&gt;         ...     &lt;/c1:C1OutlookBar.CollapsedContent&gt; &lt;/c1:C1OutlookBar&gt;</pre>	


For example, see the following XAML displays "**Navigation Pane**" vertically.

XAML	Copy Code
<pre>&lt;c1:C1OutlookBar.CollapsedContent&gt;     &lt;c1:C1LayoutTransformer&gt;         &lt;c1:C1LayoutTransformer.LayoutTransform&gt;             &lt;RotateTransform Angle="270" /&gt;         &lt;/c1:C1LayoutTransformer.LayoutTransform&gt;         &lt;TextBlock FontSize="13" TextAlignment="Center" VerticalAlignment="Center"                     Text="Navigation Pane" /&gt;     &lt;/c1:C1LayoutTransformer&gt; &lt;/c1:C1OutlookBar.CollapsedContent&gt;</pre>	



## Collapsing Direction

**C1OutlookBar** supports collapsing in both left (default) and right directions. When the **C1OutlookBar** is set to dock **Left**, the default, the collapsing arrow appears on the right side of the control. When the **C1OutlookBar** is set to dock **Right**, the collapsing arrow appears on the left side of the control.



To specify which direction to collapse the **C1OutlookBar**, use the **Dock** property.


```
<c1:C1OutlookBar x:Name="C1OutlookBar1" Dock="Right">
```

You can also set **Dock** property in the Visual Studio Properties window.

## Collapsing Items in C1OutlookBar

Collapsing items is different than collapsing the **C1OutlookBar** control. **C1OutlookBar** provides a draggable splitter bar between the **Item Content** region and the **Item Buttons** region. When the splitter bar is dragged downward, items collapse into the **Collapsed Item Panel**.

Notice in the following image, when the splitter bar is dragged downward, the **Tasks** item collapses into the collapsed item panel.



You can have the [C1OutlookBar](#) open with items appearing in the **Item Buttons** and certain items collapsed in the **Collapsed Item Panel**. Use the [FirstOverflowIndex](#) property to determine which items should be sent to the **Collapsed Item Panel** based on their index.

For example, in the previous image, the **Tasks** item was the third item in the [C1OutlookBar](#). If we set the [FirstOverflowIndex](#) property to 2, any items after the first two, which are considered the overflow items, are sent to the **Collapsed Item Panel**.

You can set the [FirstOverflowIndex](#) property in XAML:

```
<c1:C1OutlookBarFirstOverflowIndex="2">
```

Or set it in the Visual Studio properties window.

## C1OutlookBar Layout and Appearance

The following topics detail how to customize the **C1OutlookBar's** layout and appearance. You can use templates to format and layout the control and to customize the control's actions. Themes allow you to customize the appearance of the control and take advantage of Silverlight's XAML-based styling.

## See Also

[Themes](#)


[Templates](#)

[ComponentOne ClearStyle Technology](#)

# Themes

Silverlight themes are a collection of image settings that define the look of a control or controls. The benefit of using themes is that you can apply the theme across several controls in the application, thus providing consistency without having to repeat styling tasks.


When [C1OutlookBar](#) is added to your project, it appears with the default theme, which looks similar to the following image:



[C1OutlookBar](#) supports Office 2010 and Office 2007 themes. It can be themed with one of the many included Silverlight themes: Office2010 (*C1ThemeOffice2010Blue*, *C1ThemeOffice2010Black*, and *C1ThemeOffice2010Silver*), Office2007 (*C1ThemeOffice2007Blue*,

*C1ThemeOffice2007Black*, and *C1ThemeOffice2007Silver*), *C1ThemeBureauBlack*, *C1ThemeExpressionDark*, *C1ThemeExpressionLight*, *C1ThemeCosmopolitan*, *C1ThemeRanierOrange*, *C1ThemeShinyBlue*, and *C1ThemeWhistlerBlue*. C1OutlookBar Themes

**Outlookbar for WPF and Silverlight** incorporates several themes that allow you to customize the appearance of your grid. When you add a **C1OutlookBar** and **C1OutlookItem** controls to the page, they appears similar to the following image:



This is the control's default appearance. You can change this appearance by using one of the built-in themes or by creating your own custom theme. All of the built-in themes are based on WPF Toolkit themes. The built-in themes are described and pictured below:

To set an element's theme, use the **ApplyTheme** method. First add a reference to the theme assembly to your project, and then set the theme in code, like this:

Visual Basic	Copy Code
<pre>Private Sub Window_Loaded(sender As System.Object, e As System.Windows.RoutedEventArgs) Handles MyBase.Loaded     Dim theme As New C1ThemeExpressionDark     ' Using ApplyTheme     C1Theme.ApplyTheme(LayoutRoot, theme)</pre>	

C#	Copy Code
<pre>private void Window_Loaded(object sender, RoutedEventArgs e) {</pre>	

```
C1ThemeExpressionDark theme = new C1ThemeExpressionDark();
//Using ApplyTheme
C1Theme.ApplyTheme(LayoutRoot, theme);
}
```

To apply a theme to the entire application, use the **System.Windows.ResourceDictionary.MergedDictionaries** property. First add a reference to the theme assembly to your project, and then set the theme in code, like this:

Visual Basic	Copy Code
<pre>Private Sub Window_Loaded(sender As System.Object, e As System.Windows.RoutedEventArgs) Handles MyBase.Loaded     Dim theme As New C1ThemeExpressionDark     ' Using Merged Dictionaries     Application.Current.Resources.MergedDictionaries.Add(C1Theme.GetCurrentThemeR esources(theme)) End Sub</pre>	

C#	Copy Code
<pre>private void Window_Loaded(object sender, RoutedEventArgs e) {     C1ThemeExpressionDark theme = new C1ThemeExpressionDark();     //Using Merged Dictionaries     Application.Current.Resources.MergedDictionaries.Add(C1Theme.GetCurrentThemeR esources(theme)); }</pre>	


Note that this method works only when you apply a theme for the first time. If you want to switch to another ComponentOne theme, first remove the previous theme from **Application.Current.Resources.MergedDictionaries**.

## Templates

You can customize the look of each [C1OutlookItem](#) by setting some of the basic [C1OutlookBar](#) and [C1OutlookItem](#) properties. Each of these properties has a corresponding **Template** property that binds them together.

Property	Correpsonding	Description
----------	---------------	-------------

	Template Property	
Header	HeaderTemplate	When the bar is expanded, the <b>Header</b> is shown to the right of the <b>Largelcon</b> and above the content in the Office 2007 style.
Content	ContentTemplate	Gets or sets the content to display in the <b>Item Content</b> section when this item is selected.
Largelcon	LargelconTemplate	<b>Largelcon</b> represents the <b>C1OutlookItem</b> image that appears in the vertical stack when <b>C1OutlookBar</b> is collapsed.
SmallIcon	SmallIconTemplate	Items above the <a href="#">FirstOverflowIndex</a> or items that do not fit in the <b>Item Buttons</b> list are placed in a single horizontal line below the <b>Largelcons</b> using <b>SmallIcon</b> .




**Note:** A menu that uses a **SmallIcon** and **Header** allows hiding and showing individual items. Because the properties are displayed in several places, do not assign them a **UIElement**.



Here's an example of a [C1OutlookBar](#) containing a [C1OutlookItem](#) that has "Inbox" as the **Header** and a small and large icon bound through the corresponding templates.

XAML	Copy Code
<pre>&lt;c1:C1OutlookBar.LargeIconTemplate&gt;     &lt;DataTemplate&gt;         &lt;Image Source="{Binding}" Width="24" Height="24" /&gt;     &lt;/DataTemplate&gt; &lt;/c1:C1OutlookBar.LargeIconTemplate&gt; &lt;c1:C1OutlookBar.SmallIconTemplate&gt;     &lt;DataTemplate&gt;         &lt;Grid Height="24"&gt;             &lt;Image Source="{Binding}" Width="16" Height="16" /&gt;         &lt;/Grid&gt;     &lt;/DataTemplate&gt; &lt;/c1:C1OutlookBar.SmallIconTemplate&gt; &lt;c1:C1OutlookItemHeader="Inbox"LargeIcon="Resources/Inbox24.png"SmallIcon="Resources/Inbox.png"&gt;     &lt;userControls:Inbox/&gt; &lt;/c1:C1OutlookItem&gt;</pre>	

The [C1OutlookBar](#) looks like this:



## ComponentOne ClearStyle Technology

**ClearStyle** technology is a new, quick and easy approach to providing Silverlight and WPF control styling. ClearStyle allows you to create a custom style for a control without having to deal with the hassle of XAML templates and style resources.

Currently, to add a theme to all standard Silverlight controls, you must create a style resource template. In Microsoft Visual Studio this process can be difficult; this is why Microsoft introduced Expression Blend to make the task a bit easier. Having to jump between two environments can be a bit challenging to developers who are not familiar with Blend or do not

have the time to learn it. You could hire a designer, but that can complicate things when your designer and your developers are sharing XAML files.

That's where ClearStyle comes in. With ClearStyle the styling capabilities are brought to you in Visual Studio in the most intuitive manner possible. In most situations you just want to make simple styling changes to the controls in your application so this process should be simple. For example, if you just want to change the row color of your data grid this should be as simple as setting one property. You shouldn't have to create a full and complicated-looking template just to simply change a few colors.

## See Also

[How ClearStyle Works](#)

[OutlookBar ClearStyle Properties](#)

## How ClearStyle Works

Each key piece of the control's style is surfaced as a simple color property. This leads to a unique set of style properties for each control. For example, a **Gauge** has **PointerFill** and **PointerStroke** properties, whereas an **C1OutlookBar** has **SelectedBackground** and **MouseOverBrush**.

Let's say you have a control on your form that does not support ClearStyle. You can take the XAML resource created by ClearStyle and use it to help mold other controls on your form to match (such as grabbing exact colors). Or let's say you'd like to override part of a style set with ClearStyle (such as your own custom item). This is also possible because ClearStyle can be extended and you can override the style where desired.

ClearStyle is intended to be a solution to quick and easy style modification, but you're still free to do it the old fashioned way with ComponentOne's controls to get the exact style needed. ClearStyle does not interfere with those less common situations where a full custom design is required.

## OutlookBar ClearStyle Properties

**OutlookBar for WPF and Silverlight** supports ComponentOne's ClearStyle technology, which allows you to easily change control colors without having to change control templates. By setting a few color properties, you can quickly style the [C1OutlookBar](#) elements. The supported properties for [C1OutlookBar](#) are listed in the following table:


Property	Description
Background	Gets or sets the background used to fill the <b>C1OutlookBar</b> .
Foreground	Gets or sets the foreground used to fill the <b>C1OutlookBar</b> .

MouseOverBrush	Gets or sets the brush used to highlight an item when the mouse is hovering over it.
SelectedBackground	Gets or sets the brush used to fill the selected <a href="#">C1OutlookItem</a> in the <b>C1OutlookBar</b> .

You can completely change the appearance of the **C1OutlookBar** by setting these properties. For example, if you set the [ItemBackground](#) property to **Beige**, [ItemForeground](#) to **Green**, [MouseOverBrush](#) to **Orange**, and [SelectedBackground](#) to **Red** so the XAML markup appears similar to the following:

```
<c1:C1OutlookBar Background="Beige" Foreground="Green"
MouseOverBrush="Orange" SelectedBackground="Red" x:Name="C1OutlookBar1">
```

The [C1OutlookBar](#) will look similar to this:



## C1OutlookBarTask-Based Help

The task-based help assumes that you are familiar with programming in Visual Studio and know how to use the [C1OutlookBar](#) in general. If you are unfamiliar with the **OutlookBar for WPF and Silverlight** product, please see the [C1OutlookBar Quick Start](#) first.

Each topic in this section provides a solution for specific tasks using the **OutlookBar for WPF and Silverlight** product.

Each task-based help topic also assumes that you have created a new **WPF/Silverlight** project.

### See Also

[Adding an Image to a C1OutlookItem](#)

[Selecting an Item in the C1OutlookBar](#)

# Adding an Image to a C1OutlookItem

[C1OutlookBar](#) is an **ItemsControl** that can be bound to any list of objects of any data type using DataTemplates to create a visual representation of the items. In this example, you'll see how easily you can add an image to a [C1OutlookItem](#) by binding through a **DataTemplate**.

Suppose you have a [C1OutlookBar](#) named **C1OutlookBar1** which contains a [C1OutlookItem](#) with the **Header = Mail**. You will also need an image for the [C1OutlookItem](#). In this example, we'll use a *Resources* folder containing images in our project. Here's how the XAML might look:

XAML	Copy Code
<pre>&lt;c1:C1OutlookBar Height="274" HorizontalAlignment="Left" Margin="56,12,0,0" Name="c1OutlookBar1" VerticalAlignment="Top" Width="274"&gt;     &lt;c1:C1OutlookItem Header="Mail"/&gt; &lt;/c1:C1OutlookBar&gt;</pre>	

1. Add XAML for a [SmallIconTemplate](#) and [LargeIconTemplate](#) for the images that will be shown in the **Collapsed Item Panel** and for the **Item Button**, respectively. This markup should be placed within the [C1OutlookBar](#) tags.


XAML	Copy Code
<pre>&lt;c1:C1OutlookBar.LargeIconTemplate&gt;     &lt;DataTemplate&gt;         &lt;Image Source="{Binding}" Width="24" Height="24" /&gt;     &lt;/DataTemplate&gt; &lt;/c1:C1OutlookBar.LargeIconTemplate&gt; &lt;c1:C1OutlookBar.SmallIconTemplate&gt;     &lt;DataTemplate&gt;         &lt;Grid Height="24"&gt;             &lt;Image Source="{Binding}" Width="16" Height="16" /&gt;         &lt;/Grid&gt;     &lt;/DataTemplate&gt; &lt;/c1:C1OutlookBar.SmallIconTemplate&gt;</pre>	

2. Add XAML to the [C1OutlookItem](#) specifying the [SmallIcon](#) and [LargeIcon](#) bound to the DataTemplates so the markup should now look like this:
- 3.
4. 


```
<c1:C1OutlookItem LargeIcon="Resources/Inbox24.png"
SmallIcon="Resources/Inbox.png" Header="Mail"/>
```
- 5.

6. Run the project and notice when the [C1OutlookBar](#) is collapsed, you will see the small icon in the **Collapsed Item Panel**. When the [C1OutlookBar](#) is expanded, the large icon will appear in the **Item Buttons (Expanded)** area.

*Expanded*



*Collapsed*



## Selecting an Item in the C1OutlookBar

[C1OutlookBar](#) supports single item selection and allows you to programmatically select an item, giving you control over which item is selected when a user first views the [C1Outlookbar](#).


Suppose you have a [C1OutlookBar](#) named **C1OutlookBar1** which contains several [C1OutlookItems](#), one of which is named *selectedItem*:

XAML	Copy Code
<pre>&lt;c1:C1OutlookBar x:Name="C1OutlookBar1 "&gt; &lt;c1:C1OutlookItem x:Name="selectedItem" Header="Tasks"&gt;</pre>	

1. Choose **View | Code** from the Visual Studio menu.
2. Add the following code to your project:

C#	Copy Code
<pre>using C1.Silverlight.OutlookBar; namespace C1OutlookBar {     public partial class MainPage : UserControl     {         public MainPage()         {             InitializeComponent();             C1OutlookBar1.SelectedItem = (C1OutlookItem)selectedItem;         }     } }</pre>	

3. Run the project and notice the [C1OutlookItem](#) named **selectedItem**, or in this example the **Tasks** item, is selected.



# API Reference




## C1.Silverlight.OutlookBar.5 Assembly

### Namespaces


#### C1.Silverlight.OutlookBar Namespace

#### Overview

#### Classes

	Class	Description
	<a href="#">C1OutlookBar</a>	Group menus and controls into distinct categories with this side bar navigation system
	<a href="#">C1OutlookItem</a>	Implements a item inside a <a href="#">C1OutlookBar</a> .
	<a href="#">C1OutlookPanel</a>	Internal class. Use only in <a href="#">C1OutlookBar</a> 's ItemsPanelTemplate.

#### Enumerations

	Enumeration	Description
	<a href="#">C1HorizontalDock</a>	Specifies how <a href="#">C1OutlookBar</a> is aligned.

#### See Also

##### Reference

[C1.Silverlight.OutlookBar.5 Assembly](#)

### Classes

#### C1OutlookBar

Group menus and controls into distinct categories with this side bar navigation system

#### Object Model

C1OutlookBar

# Syntax

Visual Basic (Declaration)	
<pre>Public Class C1OutlookBar     Inherits System.Windows.Controls.ItemsControl</pre>	
C#	
<pre>public class C1OutlookBar : System.Windows.Controls.ItemsControl</pre>	

## Inheritance Hierarchy

System.Object  
  System.Windows.DependencyObject  
    System.Windows.UIElement  
      System.Windows.FrameworkElement  
        System.Windows.Controls.Control  
          System.Windows.Controls.ItemsControl  
            **C1.Silverlight.OutlookBar.C1OutlookBar**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Members](#)  
[C1.Silverlight.OutlookBar Namespace](#)

## Overview

Group menus and controls into distinct categories with this side bar navigation system

## Object Model

C1OutlookBar

## Syntax

Visual Basic (Declaration)	
<pre>Public Class C1OutlookBar     Inherits System.Windows.Controls.ItemsControl</pre>	
C#	



```
public class C1OutlookBar : System.Windows.Controls.ItemsControl
```

## Inheritance Hierarchy

System.Object  
  System.Windows.DependencyObject  
    System.Windows.UIElement  
      System.Windows.FrameworkElement  
        System.Windows.Controls.Control  
          System.Windows.Controls.ItemsControl  
            **C1.Silverlight.OutlookBar.C1OutlookBar**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Members](#)


[C1.Silverlight.OutlookBar Namespace](#)

## Members

[Fields](#) [Properties](#) [Methods](#) [Events](#)



The following tables list the members exposed by [C1OutlookBar](#).

## Public Constructors



	Name	Description
	<a href="#">C1OutlookBar Constructor</a>	Initializes a new instance of a <a href="#">C1OutlookBar</a> .

[Top](#)

## Public Fields














	Name	Description
 <b>S</b>	<a href="#">CollapsedContentProperty</a>	Identifies the <a href="#">CollapsedContent</a> dependency property.
 <b>S</b>	<a href="#">CollapsedTemplateProperty</a>	Identifies the <a href="#">CollapsedTemplate</a> dependency property.





















◆ S	<a href="#">ContentTemplateProperty</a>	Identifies the <a href="#">ContentTemplate</a> dependency property.
◆ S	<a href="#">DockProperty</a>	Identifies the <a href="#">Dock</a> dependency property.
◆ S	<a href="#">ExpandedWidthProperty</a>	Identifies the <a href="#">ExpandedWidth</a> dependency property.
◆ S	<a href="#">FirstOverflowIndexProperty</a>	Identifies the <a href="#">FirstOverflowIndex</a> dependency property.
◆ S	<a href="#">IsExpandedProperty</a>	Identifies the <a href="#">IsExpanded</a> dependency property.
◆ S	<a href="#">ItemBackgroundProperty</a>	Identifies the <a href="#">ItemBackground</a> dependency property.
◆ S	<a href="#">ItemForegroundProperty</a>	Identifies the <a href="#">ItemForeground</a> dependency property.
◆ S	<a href="#">LargelconTemplateProperty</a>	Identifies the <a href="#">LargelconTemplate</a> dependency property.
◆ S	<a href="#">MouseOverBrushProperty</a>	Identifies the <a href="#">MouseOverBrush</a> dependency property.
◆ S	<a href="#">SelectedBackgroundProperty</a>	Identifies the <a href="#">SelectedBackground</a> dependency property.
◆ S	<a href="#">SelectedIndexProperty</a>	Identifies the <a href="#">SelectedIndex</a> dependency property.
◆ S	<a href="#">SelectedItemProperty</a>	Identifies the <a href="#">SelectedItem</a> dependency property.
◆ S	<a href="#">ShowFewerButtonsCommandProperty</a>	Identifies the <a href="#">ShowFewerButtonsCommand</a> dependency property.
◆ S	<a href="#">ShowMoreButtonsCommandProperty</a>	Identifies the <a href="#">ShowMoreButtonsCommand</a> dependency property.


















 <b>S</b>	<a href="#">SmallIconTemplateProperty</a>	Identifies the <a href="#">SmallIconTemplate</a> dependency property.
 <b>S</b>	<a href="#">UnselectedContentModeProperty</a>	Identifies the <a href="#">UnselectedContentMode</a> dependency property.


















[Top](#)












## Public Properties

	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CharacterSpacing</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CollapsedContent</a>	Gets or sets a value to display in the content area when the control is collapsed.
	<a href="#">CollapsedTemplate</a>	Gets or sets the DataTemplate to apply to CollapsedContent.
	<a href="#">ContentTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a HeaderTemplate property defined.
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)

	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">DisplayMemberPath</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Dock</a>	Gets or sets the side taken by the control.
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ExpandedWidth</a>	Gets or sets the horizontal size of the whole control when in expanded mode.
	<a href="#">FirstOverflowIndex</a>	Gets or sets the index of the first item that causes overflow.
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStyle</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontWeight</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Foreground</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Height</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsEnabled</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsExpanded</a>	Gets or sets a value that indicates whether the content of







		the selected item is shown.
	<a href="#">IsHitTestVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsTabStop</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">ItemBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as background of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">ItemContainerGenerator</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemForeground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as foreground of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">Items</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemsPanel</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemsSource</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemTemplate</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LargelconTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a LargelconTemplate property defined.
	<a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it has the mouse over.
















	Name	(Inherited from System.Windows.FrameworkElement)
	Opacity	(Inherited from System.Windows.UIElement)
	OpacityMask	(Inherited from System.Windows.UIElement)
	Padding	(Inherited from System.Windows.Controls.Control)
	Parent	(Inherited from System.Windows.FrameworkElement)
	Projection	(Inherited from System.Windows.UIElement)
	RenderSize	(Inherited from System.Windows.UIElement)
	RenderTransform	(Inherited from System.Windows.UIElement)
	RenderTransformOrigin	(Inherited from System.Windows.UIElement)
	Resources	(Inherited from System.Windows.FrameworkElement)
	SelectedBackground	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	SelectedIndex	Gets or sets the index of the currently selected <a href="#">C1OutlookItem</a> .
	SelectedItem	Gets or sets the selected item or null if the selection is empty.
	ShowFewerButtonsCommand	Gets the <b>System.Windows.Input.ICommand</b> that decrements <a href="#">FirstOverflowIndex</a> .
	ShowMoreButtonsCommand	Gets the <b>System.Windows.Input.ICommand</b> that increments <a href="#">FirstOverflowIndex</a> .
	SmallIconTemplate	Gets or sets the DataTemplate to apply to any item that does not have a SmallIconTemplate property defined.
	Style	(Inherited from System.Windows.FrameworkElement)

	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">TabNavigation</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Template</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">UnselectedContentMode</a>	Gets or sets what is done with the content of unselected items.
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.UIElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)



## Public Methods

	Name	Description
	<a href="#">AddHandler</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ClearValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)





















	<a href="#">Focus</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookBar</a> control when a new template is applied.
	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SetBinding</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SetValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.UIElement)
	<a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)









[Top](#)

## Public Events

	Name	Description
	<a href="#">BindingValidationError</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)



	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MediaCommand</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)

	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SelectedIndexChanged</a>	Event raised when the <b>SelectedIndex</b> property has changed.
	<a href="#">SelectedItemChanged</a>	Event raised when the <b>SelectedItem</b> property has changed.
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputStart</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputUpdate</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookBar Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

## C1OutlookBar Constructor

Initializes a new instance of a [C1OutlookBar](#).

## Syntax

Visual Basic (Declaration)

```
Public Function New()
```

C#

```
public C1OutlookBar()
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

## Methods








%%scrap%%

" -->

For a list of all members of this type, see [C1OutlookBar members](#).

## Public Methods

	Name	Description
≡	<a href="#">AddHandler</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.Controls.Control)
≡	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ClearValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Focus</a>	(Inherited from System.Windows.Controls.Control)
≡	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookBar</a> control when a new template is applied.

	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SetBinding</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SetValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.UIElement)
	<a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)

[Top](#)

## See Also

### Reference

[C1OutlookBar Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### OnApplyTemplate Method

Builds the visual tree for the [C1OutlookBar](#) control when a new template is applied.

## Syntax

Visual Basic (Declaration)	
<b>Public Overrides Sub</b> OnApplyTemplate()	
C#	
<b>public override void</b> OnApplyTemplate()	

## Remarks

This method is invoked whenever application code or an internal process, such as a rebuilding layout pass, calls the **ApplyTemplate** method.

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

Reference

C1OutlookBar Class  
C1OutlookBar Members













Properties





















%%scrap%%



















" -->


















For a list of all members of this type, see [C1OutlookBar members](#).

Public Properties












	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CharacterSpacing</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CollapsedContent</a>	Gets or sets a value to display in the content area when the control is collapsed.
	<a href="#">CollapsedTemplate</a>	Gets or sets the DataTemplate to apply to CollapsedContent.
	<a href="#">ContentTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a HeaderTemplate property defined.

	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">DisplayMemberPath</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Dock</a>	Gets or sets the side taken by the control.
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ExpandedWidth</a>	Gets or sets the horizontal size of the whole control when in expanded mode.
	<a href="#">FirstOverflowIndex</a>	Gets or sets the index of the first item that causes overflow.
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStyle</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontWeight</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Foreground</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Height</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsEnabled</a>	(Inherited from System.Windows.Controls.Control)

	<a href="#">IsExpanded</a>	Gets or sets a value that indicates whether the content of the selected item is shown.
	<a href="#">IsHitTestVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsTabStop</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">ItemBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as background of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">ItemContainerGenerator</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemForeground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as foreground of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">Items</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemsPanel</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemsSource</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemTemplate</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LargelconTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a LargelconTemplate property defined.
	<a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it has the mouse over.

	Name	(Inherited from System.Windows.FrameworkElement)
	Opacity	(Inherited from System.Windows.UIElement)
	OpacityMask	(Inherited from System.Windows.UIElement)
	Padding	(Inherited from System.Windows.Controls.Control)
	Parent	(Inherited from System.Windows.FrameworkElement)
	Projection	(Inherited from System.Windows.UIElement)
	RenderSize	(Inherited from System.Windows.UIElement)
	RenderTransform	(Inherited from System.Windows.UIElement)
	RenderTransformOrigin	(Inherited from System.Windows.UIElement)
	Resources	(Inherited from System.Windows.FrameworkElement)
	SelectedBackground	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	SelectedIndex	Gets or sets the index of the currently selected <a href="#">C1OutlookItem</a> .
	SelectedItem	Gets or sets the selected item or null if the selection is empty.
	ShowFewerButtonsCommand	Gets the <b>System.Windows.Input.ICommand</b> that decrements <a href="#">FirstOverflowIndex</a> .
	ShowMoreButtonsCommand	Gets the <b>System.Windows.Input.ICommand</b> that increments <a href="#">FirstOverflowIndex</a> .
	SmallIconTemplate	Gets or sets the DataTemplate to apply to any item that does not have a SmallIconTemplate property defined.
	Style	(Inherited from System.Windows.FrameworkElement)



	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">TabNavigation</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Template</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">UnselectedContentMode</a>	Gets or sets what is done with the content of unselected items.
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.UIElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookBar Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### CollapsedContent Property

Gets or sets a value to display in the content area when the control is collapsed.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> CollapsedContent <b>As</b> System.Object	
C#	
<b>public</b> System.object CollapsedContent { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### CollapsedTemplate Property

Gets or sets the DataTemplate to apply to CollapsedContent.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> CollapsedTemplate <b>As</b> System.Windows.DataTemplate	
C#	
<b>public</b> System.Windows.DataTemplate CollapsedTemplate { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### ContentTemplate Property

Gets or sets the DataTemplate to apply to any item that does not have a HeaderTemplate property defined.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> ContentTemplate <b>As</b> System.Windows.DataTemplate	
C#	
<b>public</b> System.Windows.DataTemplate ContentTemplate { <b>get</b> ; <b>set</b> ;}	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

## Dock Property

Gets or sets the side taken by the control.

# Syntax

Visual Basic (Declaration)	
<code>Public Property Dock As C1HorizontalDock</code>	
C#	
<code>public C1HorizontalDock Dock {get; set;}</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

## ExpandedWidth Property

Gets or sets the horizontal size of the whole control when in expanded mode.

# Syntax

Visual Basic (Declaration)	
<code>Public Property ExpandedWidth As System.Double</code>	
C#	

```
public System.double ExpandedWidth {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### FirstOverflowIndex Property

Gets or sets the index of the first item that causes overflow.

## Syntax

Visual Basic (Declaration)

```
Public Property FirstOverflowIndex As System.Integer
```

C#

```
public System.int FirstOverflowIndex {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### IsExpanded Property

Gets or sets a value that indicates whether the content of the selected item is shown.

## Syntax

Visual Basic (Declaration)

```
Public Property IsExpanded As System.Boolean
```

C#	
<pre>public System.bool IsExpanded {get; set;}</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ItemBackground Property

Gets or sets the **System.Windows.Media.Brush** used as background of the contained [C1OutlookItems](#).

## Syntax

Visual Basic (Declaration)	
<pre>Public Property ItemBackground As System.Windows.Media.Brush</pre>	
C#	
<pre>public System.Windows.Media.Brush ItemBackground {get; set;}</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ItemForeground Property

Gets or sets the **System.Windows.Media.Brush** used as foreground of the contained [C1OutlookItems](#).

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> ItemForeground <b>As</b> System.Windows.Media.Brush	
C#	
<b>public</b> System.Windows.Media.Brush ItemForeground { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### LargeIconTemplate Property

Gets or sets the DataTemplate to apply to any item that does not have a LargeIconTemplate property defined.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> LargeIconTemplate <b>As</b> System.Windows.DataTemplate	
C#	
<b>public</b> System.Windows.DataTemplate LargeIconTemplate { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### MouseOverBrush Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it has the mouse over.

## Syntax

Visual Basic (Declaration)

```
Public Property MouseOverBrush As System.Windows.Media.Brush
```

C#

```
public System.Windows.Media.Brush MouseOverBrush {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### SelectedBackground Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it is selected.

## Syntax

Visual Basic (Declaration)

```
Public Property SelectedBackground As System.Windows.Media.Brush
```

C#

```
public System.Windows.Media.Brush SelectedBackground {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## SelectedIndex Property

Gets or sets the index of the currently selected [C1OutlookItem](#).

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SelectedIndex <b>As</b> System.Integer	
C#	
<b>public</b> System.int SelectedIndex { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## SelectedItem Property

Gets or sets the selected item or null if the selection is empty.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SelectedItem <b>As</b> System.Object	
C#	
<b>public</b> System.object SelectedItem { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)



## ShowFewerButtonsCommand Property

Gets the **System.Windows.Input.ICommand** that decrements [FirstOverflowIndex](#).

### Syntax

Visual Basic (Declaration)	
<pre>Public ReadOnly Property ShowFewerButtonsCommand As System.Windows.Input.ICommand</pre>	
C#	
<pre>public System.Windows.Input.ICommand ShowFewerButtonsCommand {get;}</pre>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## ShowMoreButtonsCommand Property

Gets the **System.Windows.Input.ICommand** that increments [FirstOverflowIndex](#).

### Syntax

Visual Basic (Declaration)	
<pre>Public ReadOnly Property ShowMoreButtonsCommand As System.Windows.Input.ICommand</pre>	
C#	
<pre>public System.Windows.Input.ICommand ShowMoreButtonsCommand {get;}</pre>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### SmallIconTemplate Property

Gets or sets the DataTemplate to apply to any item that does not have a SmallIconTemplate property defined.

### Syntax

Visual Basic (Declaration)	
<code>Public Property SmallIconTemplate As System.Windows.DataTemplate</code>	
C#	
<code>public System.Windows.DataTemplate SmallIconTemplate {get; set;}</code>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### UnselectedContentMode Property

Gets or sets what is done with the content of unselected items.

### Syntax

Visual Basic (Declaration)	
<code>Public Property UnselectedContentMode As C1.Silverlight.UnselectedContentMode</code>	
C#	
<code>public C1.Silverlight.UnselectedContentMode UnselectedContentMode {get; set;}</code>	

### Remarks

The default is OutsideVisualTree, which removes from the visual tree the content of unselected items. Changing the property to retain the content of unselected items improves performance at the cost of memory.

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### Fields

%%scrap%%

" -->

For a list of all members of this type, see [C1OutlookBar members](#).

## Public Fields

	Name	Description
◆ S	<a href="#">CollapsedContentProperty</a>	Identifies the <a href="#">CollapsedContent</a> dependency property.
◆ S	<a href="#">CollapsedTemplateProperty</a>	Identifies the <a href="#">CollapsedTemplate</a> dependency property.
◆ S	<a href="#">ContentTemplateProperty</a>	Identifies the <a href="#">ContentTemplate</a> dependency property.
◆ S	<a href="#">DockProperty</a>	Identifies the <a href="#">Dock</a> dependency property.
◆ S	<a href="#">ExpandedWidthProperty</a>	Identifies the <a href="#">ExpandedWidth</a> dependency property.
◆ S	<a href="#">FirstOverflowIndexProperty</a>	Identifies the <a href="#">FirstOverflowIndex</a> dependency property.
◆ S	<a href="#">IsExpandedProperty</a>	Identifies the <a href="#">IsExpanded</a> dependency property.
◆ S	<a href="#">ItemBackgroundProperty</a>	Identifies the <a href="#">ItemBackground</a> dependency property.

◆ S	<a href="#">ItemForegroundProperty</a>	Identifies the <a href="#">ItemForeground</a> dependency property.
◆ S	<a href="#">LargelconTemplateProperty</a>	Identifies the <a href="#">LargelconTemplate</a> dependency property.
◆ S	<a href="#">MouseOverBrushProperty</a>	Identifies the <a href="#">MouseOverBrush</a> dependency property.
◆ S	<a href="#">SelectedBackgroundProperty</a>	Identifies the <a href="#">SelectedBackground</a> dependency property.
◆ S	<a href="#">SelectedIndexProperty</a>	Identifies the <a href="#">SelectedIndex</a> dependency property.
◆ S	<a href="#">SelectedItemProperty</a>	Identifies the <a href="#">SelectedItem</a> dependency property.
◆ S	<a href="#">ShowFewerButtonsCommandProperty</a>	Identifies the <a href="#">ShowFewerButtonsCommand</a> dependency property.
◆ S	<a href="#">ShowMoreButtonsCommandProperty</a>	Identifies the <a href="#">ShowMoreButtonsCommand</a> dependency property.
◆ S	<a href="#">SmallIconTemplateProperty</a>	Identifies the <a href="#">SmallIconTemplate</a> dependency property.
◆ S	<a href="#">UnselectedContentModeProperty</a>	Identifies the <a href="#">UnselectedContentMode</a> dependency property.

[Top](#)

## See Also

### Reference

[C1OutlookBar Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### CollapsedContentProperty Field

Identifies the [CollapsedContent](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly CollapsedContentProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty CollapsedContentProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### CollapsedTemplateProperty Field

Identifies the [CollapsedTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly CollapsedTemplateProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty CollapsedTemplateProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## ContentTemplateProperty Field

Identifies the [ContentTemplate](#) dependency property.

### Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly ContentTemplateProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty ContentTemplateProperty</pre>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## DockProperty Field

Identifies the [Dock](#) dependency property.

### Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly DockProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty DockProperty</pre>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

**ExpandedWidthProperty Field**  
Identifies the [ExpandedWidth](#) dependency property.

Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly ExpandedWidthProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty ExpandedWidthProperty</code>	

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

**FirstOverflowIndexProperty Field**  
Identifies the [FirstOverflowIndex](#) dependency property.

Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly FirstOverflowIndexProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty FirstOverflowIndexProperty</code>	

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

IsExpandedProperty Field  
Identifies the [IsExpanded](#) dependency property.

Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly IsExpandedProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty IsExpandedProperty</pre>	

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

ItemBackgroundProperty Field  
Identifies the [ItemBackground](#) dependency property.

Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly ItemBackgroundProperty As System.Windows.DependencyProperty</pre>	
C#	



```
public static readonly System.Windows.DependencyProperty
ItemBackgroundProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ItemForegroundProperty Field

Identifies the [ItemForeground](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly ItemForegroundProperty As
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty
ItemForegroundProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### LargelconTemplateProperty Field

Identifies the [LargelconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)

<code>Public Shared ReadOnly LargeIconTemplateProperty As System.Windows.DependencyProperty</code>
--

C#
----

<code>public static readonly System.Windows.DependencyProperty LargeIconTemplateProperty</code>
---

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### MouseOverBrushProperty Field

Identifies the [MouseOverBrush](#) dependency property.

## Syntax

Visual Basic (Declaration)
----------------------------

<code>Public Shared ReadOnly MouseOverBrushProperty As System.Windows.DependencyProperty</code>
---

C#
----

<code>public static readonly System.Windows.DependencyProperty MouseOverBrushProperty</code>
--

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### SelectedBackgroundProperty Field

Identifies the [SelectedBackground](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly SelectedBackgroundProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
SelectedBackgroundProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### SelectedIndexProperty Field

Identifies the [SelectedIndex](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly SelectedIndexProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
SelectedIndexProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## SelectedItemProperty Field

Identifies the [SelectedItem](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly SelectedItemProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty SelectedItemProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## ShowFewerButtonsCommandProperty Field

Identifies the [ShowFewerButtonsCommand](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly ShowFewerButtonsCommandProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
ShowFewerButtonsCommandProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### ShowMoreButtonsCommandProperty Field

Identifies the [ShowMoreButtonsCommand](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly ShowMoreButtonsCommandProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty ShowMoreButtonsCommandProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### SmallIconTemplateProperty Field

Identifies the [SmallIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly SmallIconTemplateProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty SmallIconTemplateProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### UnselectedContentModeProperty Field

Identifies the [UnselectedContentMode](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly UnselectedContentModeProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
UnselectedContentModeProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)





















### Events











%%scrap%%

" -->

For a list of all members of this type, see [C1OutlookBar members](#).

## Public Events

	Name	Description
	<a href="#">BindingValidationError</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MediaCommand</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)

	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SelectedIndexChanged</a>	Event raised when the <b>SelectedIndex</b> property has changed.
	<a href="#">SelectedItemChanged</a>	Event raised when the <b>SelectedItem</b> property has changed.
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputStart</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputUpdate</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookBar Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### SelectedIndexChanged Event

Event raised when the **SelectedIndex** property has changed.

## Syntax

Visual Basic (Declaration)	
<pre>Public Event SelectedIndexChanged As System.EventHandler(Of PropertyChangedEventArgs(Of Integer))</pre>	
C#	
<pre>public event System.EventHandler&lt;PropertyChangedEventArgs&lt;int&gt;&gt; SelectedIndexChanged</pre>	

## Event Data



The event handler receives an argument of type `C1.Silverlight.PropertyChangedEventArgs<T>` containing data related to this event. The following **PropertyChangedEventArgs<T>** properties provide information specific to this event.

Property	Description
<b>newValue</b>	
<b>OldValue</b>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### SelectedItemChanged Event

Event raised when the **SelectedItem** property has changed.

## Syntax

Visual Basic (Declaration)	
<pre>Public Event SelectedItemChanged As System.EventHandler(Of PropertyChangedEventArgs(Of Object))</pre>	
C#	
<pre>public event System.EventHandler&lt;PropertyChangedEventArgs&lt;object&gt;&gt; SelectedItemChanged</pre>	

## Event Data

The event handler receives an argument of type `C1.Silverlight.PropertyChangedEventArgs<T>` containing data related to this event. The following **PropertyChangedEventArgs<T>** properties provide information specific to this event.

Property	Description
<b>newValue</b>	

<b>OldValue</b>	
-----------------	--

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## C1OutlookItem

Implements a item inside a [C1OutlookBar](#).

## Object Model

C1OutlookItem

## Syntax

Visual Basic (Declaration)	
<pre><b>Public Class</b> C1OutlookItem     <b>Inherits</b> System.Windows.Controls.ContentControl</pre>	
C#	
<pre><b>public class</b> C1OutlookItem : System.Windows.Controls.ContentControl</pre>	

## Inheritance Hierarchy

```
System.Object
  System.Windows.DependencyObject
    System.Windows.UIElement
      System.Windows.FrameworkElement
        System.Windows.Controls.Control
          System.Windows.Controls.ContentControl
            C1.Silverlight.OutlookBar.C1OutlookItem
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Members](#)

[C1.Silverlight.OutlookBar Namespace](#)

## Overview

Implements a item inside a [C1OutlookBar](#).

## Object Model

C1OutlookItem

## Syntax

Visual Basic (Declaration)	
<pre>Public Class C1OutlookItem     Inherits System.Windows.Controls.ContentControl</pre>	
C#	
<pre>public class C1OutlookItem : System.Windows.Controls.ContentControl</pre>	

## Inheritance Hierarchy

System.Object  
    System.Windows.DependencyObject  
        System.Windows.UIElement  
            System.Windows.FrameworkElement  
                System.Windows.Controls.Control  
                    System.Windows.Controls.ContentControl  
                        **C1.Silverlight.OutlookBar.C1OutlookItem**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Members](#)


[C1.Silverlight.OutlookBar Namespace](#)

## Members

[Fields](#) [Properties](#) [Methods](#) [Events](#)











The following tables list the members exposed by [C1OutlookItem](#).

## Public Constructors

	Name	Description
	<a href="#">C1OutlookItem Constructor</a>	Initializes a new instance of a <a href="#">C1OutlookItem</a> .



[Top](#)





















## Public Fields




















	Name	Description
 S	<a href="#">HeaderProperty</a>	Identifies the <a href="#">Header</a> dependency property.
 S	<a href="#">HeaderTemplateProperty</a>	Identifies the <a href="#">HeaderTemplate</a> dependency property.
 S	<a href="#">IsMouseOverProperty</a>	Identifies the <a href="#">IsMouseOver</a> dependency property.
 S	<a href="#">IsSelectedProperty</a>	Identifies the <a href="#">IsSelected</a> dependency property.
 S	<a href="#">LargelconProperty</a>	Identifies the <a href="#">Largelcon</a> dependency property.
 S	<a href="#">LargelconTemplateProperty</a>	Identifies the <a href="#">LargelconTemplate</a> dependency property.
 S	<a href="#">MouseOverBrushProperty</a>	Identifies the <a href="#">MouseOverBrush</a> dependency property.
 S	<a href="#">SelectedBackgroundProperty</a>	Identifies the <a href="#">SelectedBackground</a> dependency property.
 S	<a href="#">SmalllconProperty</a>	Identifies the <a href="#">Smalllcon</a> dependency property.
 S	<a href="#">SmalllconTemplateProperty</a>	Identifies the <a href="#">SmalllconTemplate</a> dependency property.



















[Top](#)








## Public Properties

	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)

	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CharacterSpacing</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Content</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">ContentTemplate</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStyle</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontWeight</a>	(Inherited from System.Windows.Controls.Control)












	<a href="#">Foreground</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Header</a>	Gets or sets the value shown above the content when the item is selected.
	<a href="#">HeaderTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">Header</a> .
	<a href="#">Height</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsEnabled</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsHitTestVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseOver</a>	Returns true if the mouse is over the control.
	<a href="#">IsSelected</a>	Gets or sets whether the item is selected.
	<a href="#">IsTabStop</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Largelcon</a>	Gets or sets the object shown for the item when collapsed and to the left of the header when expanded.
	<a href="#">LargelconTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">Largelcon</a> .
	<a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)

	<a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it has the mouse over.
	<a href="#">Name</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Opacity</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OpacityMask</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Padding</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Parent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Projection</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransform</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransformOrigin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Resources</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SelectedBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	<a href="#">SmallIcon</a>	Gets or sets the object shown for the item in the overflow pane and menu. Since the object is placed in the visual tree twice, it cannot be a UIElement. Use <a href="#">SmallIconTemplate</a> to create a Image element.
	<a href="#">SmallIconTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">SmallIcon</a> .
	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">TabNavigation</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)











	Template	(Inherited from System.Windows.Controls.Control)
	Triggers	(Inherited from System.Windows.FrameworkElement)
	UseLayoutRounding	(Inherited from System.Windows.UIElement)
	VerticalAlignment	(Inherited from System.Windows.FrameworkElement)
	VerticalContentAlignment	(Inherited from System.Windows.Controls.Control)
	Visibility	(Inherited from System.Windows.UIElement)
	Width	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## Public Methods








	Name	Description
	AddHandler	(Inherited from System.Windows.UIElement)
	ApplyTemplate	(Inherited from System.Windows.Controls.Control)
	Arrange	(Inherited from System.Windows.UIElement)
	CaptureMouse	(Inherited from System.Windows.UIElement)
	ClearValue	(Inherited from System.Windows.DependencyObject)
	FindName	(Inherited from System.Windows.FrameworkElement)
	Focus	(Inherited from System.Windows.Controls.Control)
	GetAnimationBaseValue	(Inherited from System.Windows.DependencyObject)
	GetBindingExpression	(Inherited from System.Windows.FrameworkElement)
	GetValue	(Inherited from System.Windows.DependencyObject)
	InvalidateArrange	(Inherited from System.Windows.UIElement)

























≡ 	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookItem</a> control when a new template is applied.
≡ 	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">SetBinding</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">SetValue</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)

[Top](#)

## Public Events

	Name	Description
	<a href="#">BindingValidationError</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)

	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsMouseOverChanged</a>	Event raised when the <b>IsMouseOver</b> property has changed.
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MediaCommand</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputStart</a>	(Inherited from System.Windows.UIElement)

	<a href="#">TextInputUpdate</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

## C1OutlookItem Constructor

Initializes a new instance of a [C1OutlookItem](#).

## Syntax

Visual Basic (Declaration)	
<code>Public Function New()</code>	
C#	
<code>public C1OutlookItem()</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

## Methods





















%%scrap%%


" -->

For a list of all members of this type, see [C1OutlookItem members](#).

## Public Methods

	Name	Description
--	------	-------------

⇒ 	<a href="#">AddHandler</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.Controls.Control)
⇒ 	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">ClearValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)
⇒ 	<a href="#">Focus</a>	(Inherited from System.Windows.Controls.Control)
⇒ 	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
⇒ 	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookItem</a> control when a new template is applied.
⇒ 	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">SetBinding</a>	(Inherited from System.Windows.FrameworkElement)
⇒ 	<a href="#">SetValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.UIElement)

	UpdateLayout	(Inherited from System.Windows.UIElement)
---	--------------	---

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### OnApplyTemplate Method

Builds the visual tree for the [C1OutlookItem](#) control when a new template is applied.

## Syntax

Visual Basic (Declaration)	
<code>Public Overrides Sub OnApplyTemplate()</code>	
C#	
<code>public override void OnApplyTemplate()</code>	

## Remarks

This method is invoked whenever application code or an internal process, such as a rebuilding layout pass, calls the **ApplyTemplate** method.

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)





















### Properties




















%%scrap%%



















" -->

For a list of all members of this type, see [C1OutlookItem members](#).










## Public Properties

	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CharacterSpacing</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Content</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">ContentTemplate</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)

	FontStyle	(Inherited from System.Windows.Controls.Control)
	FontWeight	(Inherited from System.Windows.Controls.Control)
	Foreground	(Inherited from System.Windows.Controls.Control)
	Header	Gets or sets the value shown above the content when the item is selected.
	HeaderTemplate	Gets or sets a DataTemplate to style the <a href="#">Header</a> .
	Height	(Inherited from System.Windows.FrameworkElement)
	HorizontalAlignment	(Inherited from System.Windows.FrameworkElement)
	HorizontalContentAlignment	(Inherited from System.Windows.Controls.Control)
	IsEnabled	(Inherited from System.Windows.Controls.Control)
	IsHitTestVisible	(Inherited from System.Windows.UIElement)
	IsMouseOver	Returns true if the mouse is over the control.
	IsSelected	Gets or sets whether the item is selected.
	IsTabStop	(Inherited from System.Windows.Controls.Control)
	Language	(Inherited from System.Windows.FrameworkElement)
	Largelcon	Gets or sets the object shown for the item when collapsed and to the left of the header when expanded.
	LargelconTemplate	Gets or sets a DataTemplate to style the <a href="#">Largelcon</a> .
	Margin	(Inherited from System.Windows.FrameworkElement)
	MaxHeight	(Inherited from System.Windows.FrameworkElement)
	MaxWidth	(Inherited from System.Windows.FrameworkElement)

	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it has the mouse over.
	<a href="#">Name</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Opacity</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OpacityMask</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Padding</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Parent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Projection</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransform</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransformOrigin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Resources</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SelectedBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	<a href="#">SmallIcon</a>	Gets or sets the object shown for the item in the overflow pane and menu. Since the object is placed in the visual tree twice, it cannot be a UIElement. Use <a href="#">SmallIconTemplate</a> to create a Image element.
	<a href="#">SmallIconTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">SmallIcon</a> .
	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)



	<a href="#">TabNavigation</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Template</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.UIElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### Header Property

Gets or sets the value shown above the content when the item is selected.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> Header <b>As</b> System.Object	
C#	
<b>public</b> System.object Header { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

## Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### HeaderTemplate Property

Gets or sets a DataTemplate to style the [Header](#).

## Syntax

Visual Basic (Declaration)

```
Public Property HeaderTemplate As System.Windows.DataTemplate
```

C#

```
public System.Windows.DataTemplate HeaderTemplate {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### IsMouseOver Property

Returns true if the mouse is over the control.

## Syntax

Visual Basic (Declaration)

```
Public ReadOnly Property IsMouseOver As System.Boolean
```

C#

```
public System.bool IsMouseOver {get;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

## Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### IsSelected Property

Gets or sets whether the item is selected.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> IsSelected <b>As</b> System.Boolean	
C#	
<b>public</b> System.bool IsSelected { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### LargeIcon Property

Gets or sets the object shown for the item when collapsed and to the left of the header when expanded.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> LargeIcon <b>As</b> System.Object	
C#	
<b>public</b> System.object LargeIcon { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

## LargeIconTemplate Property

Gets or sets a DataTemplate to style the [LargeIcon](#).

# Syntax

Visual Basic (Declaration)	
<code>Public Property LargeIconTemplate As System.Windows.DataTemplate</code>	
C#	
<code>public System.Windows.DataTemplate LargeIconTemplate {get; set;}</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

## MouseOverBrush Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it has the mouse over.

# Syntax

Visual Basic (Declaration)	
<code>Public Property MouseOverBrush As System.Windows.Media.Brush</code>	
C#	
<code>public System.Windows.Media.Brush MouseOverBrush {get; set;}</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

### SelectedBackground Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it is selected.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SelectedBackground <b>As</b> System.Windows.Media.Brush	
C#	
<b>public</b> System.Windows.Media.Brush SelectedBackground { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

### SmallIcon Property

Gets or sets the object shown for the item in the overflow pane and menu. Since the object is placed in the visual tree twice, it cannot be a UIElement. Use [SmallIconTemplate](#) to create a Image element.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SmallIcon <b>As</b> System.Object	
C#	

```
public System.object SmallIcon {get; set;}
```

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

SmallIconTemplate Property  
Gets or sets a DataTemplate to style the [SmallIcon](#).

Syntax

Visual Basic (Declaration)	
Public Property SmallIconTemplate As System.Windows.DataTemplate	
C#	
public System.Windows.DataTemplate SmallIconTemplate {get; set;}	

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)









Fields

%%scrap%%  
" -->

For a list of all members of this type, see [C1OutlookItem members](#).

Public Fields

	Name	Description
--	------	-------------

 <b>S</b>	<a href="#">HeaderProperty</a>	Identifies the <a href="#">Header</a> dependency property.
 <b>S</b>	<a href="#">HeaderTemplateProperty</a>	Identifies the <a href="#">HeaderTemplate</a> dependency property.
 <b>S</b>	<a href="#">IsMouseOverProperty</a>	Identifies the <a href="#">IsMouseOver</a> dependency property.
 <b>S</b>	<a href="#">IsSelectedProperty</a>	Identifies the <a href="#">IsSelected</a> dependency property.
 <b>S</b>	<a href="#">LargelconProperty</a>	Identifies the <a href="#">Largelcon</a> dependency property.
 <b>S</b>	<a href="#">LargelconTemplateProperty</a>	Identifies the <a href="#">LargelconTemplate</a> dependency property.
 <b>S</b>	<a href="#">MouseOverBrushProperty</a>	Identifies the <a href="#">MouseOverBrush</a> dependency property.
 <b>S</b>	<a href="#">SelectedBackgroundProperty</a>	Identifies the <a href="#">SelectedBackground</a> dependency property.
 <b>S</b>	<a href="#">SmallIconProperty</a>	Identifies the <a href="#">SmallIcon</a> dependency property.
 <b>S</b>	<a href="#">SmallIconTemplateProperty</a>	Identifies the <a href="#">SmallIconTemplate</a> dependency property.

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### HeaderProperty Field

Identifies the [Header](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<b>Public Shared ReadOnly</b> HeaderProperty <b>As</b> System.Windows.DependencyProperty	
C#	
<b>public static readonly</b> System.Windows.DependencyProperty HeaderProperty	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### HeaderTemplateProperty Field

Identifies the [HeaderTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre><b>Public Shared ReadOnly</b> HeaderTemplateProperty <b>As</b> System.Windows.DependencyProperty</pre>	
C#	
<pre><b>public static readonly</b> System.Windows.DependencyProperty HeaderTemplateProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### IsMouseOverProperty Field

Identifies the [IsMouseOver](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre><b>Public Shared ReadOnly</b> IsMouseOverProperty <b>As</b> System.Windows.DependencyProperty</pre>	
C#	
<pre><b>public static readonly</b> System.Windows.DependencyProperty IsMouseOverProperty</pre>	

## Requirements



**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

**IsSelectedProperty** Field  
Identifies the [IsSelected](#) dependency property.

Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly IsSelectedProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty IsSelectedProperty</code>	

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

**LargeIconProperty** Field  
Identifies the [LargeIcon](#) dependency property.

Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly LargeIconProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty LargeIconProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### LargeIconTemplateProperty Field

Identifies the [LargeIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly LargeIconTemplateProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
LargeIconTemplateProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### MouseOverBrushProperty Field

Identifies the [MouseOverBrush](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly MouseOverBrushProperty As  
System.Windows.DependencyProperty
```

C#	
<pre>public static readonly System.Windows.DependencyProperty MouseOverBrushProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### SelectedBackgroundProperty Field

Identifies the [SelectedBackground](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly SelectedBackgroundProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty SelectedBackgroundProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### SmallIconProperty Field

Identifies the [SmallIcon](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly SmallIconProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty SmallIconProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### SmallIconTemplateProperty Field

Identifies the [SmallIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly SmallIconTemplateProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty SmallIconTemplateProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)


















### Events













%%scrap%%

" -->

For a list of all members of this type, see [C1OutlookItem members](#).

## Public Events

	Name	Description
	<a href="#">BindingValidationError</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsMouseOverChanged</a>	Event raised when the <b>IsMouseOver</b> property has changed.
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MediaCommand</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)

	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputStart</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputUpdate</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.Silverlight.OutlookBar Namespace](#)

### IsMouseOverChanged Event

Event raised when the **IsMouseOver** property has changed.

## Syntax

Visual Basic (Declaration)	
<pre>Public Event IsMouseOverChanged As System.EventHandler(Of PropertyChangedEventArgs(Of Boolean))</pre>	
C#	

```
public event System.EventHandler<PropertyChangedEventArgs<bool>>
IsMouseOverChanged
```

## Event Data

The event handler receives an argument of type `C1.Silverlight.PropertyChangedEventArgs<T>` containing data related to this event. The following **PropertyChangedEventArgs<T>** properties provide information specific to this event.

Property	Description
<b>NewValue</b>	
<b>OldValue</b>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

- [C1OutlookItem Class](#)
- [C1OutlookItem Members](#)

## C1OutlookPanel

Internal class. Use only in [C1OutlookBar](#)'s `ItemsPanelTemplate`.

## Object Model

C1OutlookPanel

## Syntax

Visual Basic (Declaration)	
<pre>Public NotInheritable Class C1OutlookPanel     Inherits System.Windows.Controls.Panel</pre>	
C#	
<pre>public sealed class C1OutlookPanel : System.Windows.Controls.Panel</pre>	

## Inheritance Hierarchy

System.Object  
System.Windows.DependencyObject  
System.Windows.UIElement  
System.Windows.FrameworkElement  
System.Windows.Controls.Panel  
**C1.Silverlight.OutlookBar.C1OutlookPanel**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookPanel Members](#)

[C1.Silverlight.OutlookBar Namespace](#)

## Overview

Internal class. Use only in [C1OutlookBar](#)'s ItemsPanelTemplate.

## Object Model

C1OutlookPanel

## Syntax

Visual Basic (Declaration)	
<pre>Public NotInheritable Class C1OutlookPanel     Inherits System.Windows.Controls.Panel</pre>	
C#	
<pre>public sealed class C1OutlookPanel : System.Windows.Controls.Panel</pre>	

## Inheritance Hierarchy

System.Object  
System.Windows.DependencyObject  
System.Windows.UIElement  
System.Windows.FrameworkElement  
System.Windows.Controls.Panel  
**C1.Silverlight.OutlookBar.C1OutlookPanel**

## Requirements



**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookPanel Members](#)  
[C1.Silverlight.OutlookBar Namespace](#)

## Members

[Properties](#) [Methods](#) [Events](#)










The following tables list the members exposed by [C1OutlookPanel](#).





















### Public Constructors











	Name	Description
	<a href="#">C1OutlookPanel Constructor</a>	

[Top](#)

### Public Properties









	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Panel)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Children</a>	(Inherited from System.Windows.Controls.Panel)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)

	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Height</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsHitTestVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsItemsHost</a>	(Inherited from System.Windows.Controls.Panel)
	<a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Name</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Opacity</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OpacityMask</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Parent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Projection</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderSize</a>	(Inherited from System.Windows.UIElement)

	<a href="#">RenderTransform</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransformOrigin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Resources</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.UIElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## Public Methods





















	Name	Description
	<a href="#">AddHandler</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ClearValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)

≡💎	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
≡💎	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
≡💎	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
≡💎	<a href="#">OnApplyTemplate</a>	(Inherited from System.Windows.FrameworkElement)
≡💎	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
≡💎	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
≡💎	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
≡💎	<a href="#">SetBinding</a>	(Inherited from System.Windows.FrameworkElement)
≡💎	<a href="#">SetValue</a>	(Inherited from System.Windows.DependencyObject)
≡💎	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.UIElement)
≡💎	<a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)

[Top](#)

## Public Events

	Name	Description
⚡	<a href="#">BindingValidationError</a>	(Inherited from System.Windows.FrameworkElement)
⚡	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
⚡	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)

	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MediaCommand</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputStart</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TextInputUpdate</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

# See Also

## Reference

[C1OutlookPanel Class](#)  
[C1.Silverlight.OutlookBar Namespace](#)

## C1OutlookPanel Constructor

## Syntax

Visual Basic (Declaration)	
<code>Public Function New()</code>	
C#	
<code>public C1OutlookPanel()</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookPanel Class](#)  
[C1OutlookPanel Members](#)

## Enumerations

## C1HorizontalDock

Specifies how [C1OutlookBar](#) is aligned.

## Syntax

Visual Basic (Declaration)	
<code>Public Enum C1HorizontalDock     Inherits System.Enum</code>	
C#	
<code>public enum C1HorizontalDock : System.Enum</code>	

## Members

Member	Description
<b>Left</b>	The control's left edge is docked to the left edge of its containing control.
<b>Right</b>	The control's right edge is docked to the right edge of its containing control.

## Inheritance Hierarchy

System.Object  
   System.ValueType  
     System.Enum  
       **C1.Silverlight.OutlookBar.C1HorizontalDock**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1.Silverlight.OutlookBar Namespace](#)




# C1.WPF.OutlookBar.4 Assembly

## Namespaces


## C1.WPF.OutlookBar Namespace

## Overview

## Classes

	Class	Description
	<a href="#">C1OutlookBar</a>	Group menus and controls into distinct categories with this side bar navigation system
	<a href="#">C1OutlookItem</a>	Implements a item inside a <a href="#">C1OutlookBar</a> .
	<a href="#">C1OutlookPanel</a>	Internal class. Use only in <a href="#">C1OutlookBar</a> 's ItemsPanelTemplate.

# Enumerations

	Enumeration	Description
	<a href="#">C1HorizontalDock</a>	Specifies how <a href="#">C1OutlookBar</a> is aligned.

## See Also

### Reference

[C1.WPF.OutlookBar.4 Assembly](#)

## Classes

### C1OutlookBar

Group menus and controls into distinct categories with this side bar navigation system

## Object Model

C1OutlookBar

## Syntax

Visual Basic (Declaration)	
<pre>Public Class C1OutlookBar     Inherits System.Windows.Controls.ItemsControl</pre>	
C#	
<pre>public class C1OutlookBar : System.Windows.Controls.ItemsControl</pre>	

## Inheritance Hierarchy

- System.Object
  - System.Windows.Threading.DispatcherObject
    - System.Windows.DependencyObject
      - System.Windows.Media.Visual
        - System.Windows.UIElement
          - System.Windows.FrameworkElement
            - System.Windows.Controls.Control
              - System.Windows.Controls.ItemsControl
                - C1.WPF.OutlookBar.C1OutlookBar**

## Requirements



**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Members](#)  
[C1.WPF.OutlookBar Namespace](#)

## Overview

Group menus and controls into distinct categories with this side bar navigation system

## Object Model

C1OutlookBar

## Syntax

Visual Basic (Declaration)	
<pre>Public Class C1OutlookBar     Inherits System.Windows.Controls.ItemsControl</pre>	
C#	
<pre>public class C1OutlookBar : System.Windows.Controls.ItemsControl</pre>	

## Inheritance Hierarchy

System.Object  
    System.Windows.Threading.DispatcherObject  
        System.Windows.DependencyObject  
            System.Windows.Media.Visual  
                System.Windows.UIElement  
                    System.Windows.FrameworkElement  
                        System.Windows.Controls.Control  
                            System.Windows.Controls.ItemsControl  
                                **C1.WPF.OutlookBar.C1OutlookBar**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also


### Reference

## Members

[Fields](#) [Properties](#) [Methods](#) [Events](#)










The following tables list the members exposed by [C1OutlookBar](#).

### Public Constructors

	Name	Description
	<a href="#">C1OutlookBar Constructor</a>	Initializes a new instance of a <a href="#">C1OutlookBar</a> .

[Top](#)




### Public Fields




















	Name	Description
 S	<a href="#">CollapsedContentProperty</a>	Identifies the <a href="#">CollapsedContent</a> dependency property.
 S	<a href="#">CollapsedTemplateProperty</a>	Identifies the <a href="#">CollapsedTemplate</a> dependency property.
 S	<a href="#">ContentTemplateProperty</a>	Identifies the <a href="#">ContentTemplate</a> dependency property.
 S	<a href="#">DockProperty</a>	Identifies the <a href="#">Dock</a> dependency property.
 S	<a href="#">ExpandedWidthProperty</a>	Identifies the <a href="#">ExpandedWidth</a> dependency property.
 S	<a href="#">FirstOverflowIndexProperty</a>	Identifies the <a href="#">FirstOverflowIndex</a> dependency property.
 S	<a href="#">IsExpandedProperty</a>	Identifies the <a href="#">IsExpanded</a> dependency property.
 S	<a href="#">ItemBackgroundProperty</a>	Identifies the <a href="#">ItemBackground</a> dependency property.
 S	<a href="#">ItemForegroundProperty</a>	Identifies the <a href="#">ItemForeground</a> dependency




















		property.
 <b>S</b>	<a href="#">LargelconTemplateProperty</a>	Identifies the <a href="#">LargelconTemplate</a> dependency property.
 <b>S</b>	<a href="#">MouseOverBrushProperty</a>	Identifies the <a href="#">MouseOverBrush</a> dependency property.
 <b>S</b>	<a href="#">SelectedBackgroundProperty</a>	Identifies the <a href="#">SelectedBackground</a> dependency property.
 <b>S</b>	<a href="#">SelectedIndexProperty</a>	Identifies the <a href="#">SelectedIndex</a> dependency property.
 <b>S</b>	<a href="#">SelectedItemProperty</a>	Identifies the <a href="#">SelectedItem</a> dependency property.
 <b>S</b>	<a href="#">ShowFewerButtonsCommandProperty</a>	Identifies the <a href="#">ShowFewerButtonsCommand</a> dependency property.
 <b>S</b>	<a href="#">ShowMoreButtonsCommandProperty</a>	Identifies the <a href="#">ShowMoreButtonsCommand</a> dependency property.
 <b>S</b>	<a href="#">SmallIconTemplateProperty</a>	Identifies the <a href="#">SmallIconTemplate</a> dependency property.
 <b>S</b>	<a href="#">UnselectedContentModeProperty</a>	Identifies the <a href="#">UnselectedContentMode</a> dependency property.





















[Top](#)





















## Public Properties




















	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)

	<a href="#">AlternationCount</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">AreAnyTouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BindingGroup</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">BitmapEffect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BitmapEffectInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ClipToBounds</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CollapsedContent</a>	Gets or sets a value to display in the content area when the control is collapsed.
	<a href="#">CollapsedTemplate</a>	Gets or sets the DataTemplate to apply to CollapsedContent.
	<a href="#">CommandBindings</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ContentTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a HeaderTemplate property defined.
	<a href="#">ContextMenu</a>	(Inherited from System.Windows.FrameworkElement)


















	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DependencyObjectType</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.Threading.DispatcherObject)
	<a href="#">DisplayMemberPath</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Dock</a>	Gets or sets the side taken by the control.
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ExpandedWidth</a>	Gets or sets the horizontal size of the whole control when in expanded mode.
	<a href="#">FirstOverflowIndex</a>	Gets or sets the index of the first item that causes overflow.
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Focusable</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusVisualStyle</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStyle</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontWeight</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">ForceCursor</a>	(Inherited from System.Windows.FrameworkElement)


















	Foreground	(Inherited from System.Windows.Controls.Control)
	GroupStyle	(Inherited from System.Windows.Controls.ItemsControl)
	GroupStyleSelector	(Inherited from System.Windows.Controls.ItemsControl)
	HasAnimatedProperties	(Inherited from System.Windows.UIElement)
	HasItems	(Inherited from System.Windows.Controls.ItemsControl)
	Height	(Inherited from System.Windows.FrameworkElement)
	HorizontalAlignment	(Inherited from System.Windows.FrameworkElement)
	HorizontalContentAlignment	(Inherited from System.Windows.Controls.Control)
	InputBindings	(Inherited from System.Windows.UIElement)
	InputScope	(Inherited from System.Windows.FrameworkElement)
	IsArrangeValid	(Inherited from System.Windows.UIElement)
	IsEnabled	(Inherited from System.Windows.UIElement)
	IsExpanded	Gets or sets a value that indicates whether the content of the selected item is shown.
	IsFocused	(Inherited from System.Windows.UIElement)
	IsGrouping	(Inherited from System.Windows.Controls.ItemsControl)
	IsHitTestVisible	(Inherited from System.Windows.UIElement)
	IsInitialized	(Inherited from System.Windows.FrameworkElement)
	IsInputMethodEnabled	(Inherited from System.Windows.UIElement)
	IsKeyboardFocused	(Inherited from System.Windows.UIElement)
	IsKeyboardFocusWithin	(Inherited from System.Windows.UIElement)

	<a href="#">IsLoaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsManipulationEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMeasureValid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptureWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsSealed</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">IsStylusCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsTabStop</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsTextSearchCaseSensitive</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">IsTextSearchEnabled</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">IsVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ItemBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as background of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">ItemBindingGroup</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemContainerGenerator</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemContainerStyle</a>	(Inherited from System.Windows.Controls.ItemsControl)

 <a href="#">ItemContainerStyleSelector</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">ItemForeground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as foreground of the contained <a href="#">C1OutlookItems</a> .
 <a href="#">Items</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">ItemsPanel</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">ItemsSource</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">ItemStringFormat</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">ItemTemplate</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">ItemTemplateSelector</a>	(Inherited from System.Windows.Controls.ItemsControl)
 <a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">LargelconTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a LargelconTemplate property defined.
 <a href="#">LayoutTransform</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it has the mouse over.
 <a href="#">Name</a>	(Inherited from System.Windows.FrameworkElement)
 <a href="#">Opacity</a>	(Inherited from System.Windows.UIElement)



	<a href="#">OpacityMask</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OverridesDefaultStyle</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Padding</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Parent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">PersistId</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransform</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransformOrigin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Resources</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SelectedBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	<a href="#">SelectedIndex</a>	Gets or sets the index of the currently selected <a href="#">C1OutlookItem</a> .
	<a href="#">SelectedItem</a>	Gets or sets the selected item or null if the selection is empty.
	<a href="#">ShowFewerButtonsCommand</a>	Gets the <b>System.Windows.Input.ICommand</b> that decrements <a href="#">FirstOverflowIndex</a> .
	<a href="#">ShowMoreButtonsCommand</a>	Gets the <b>System.Windows.Input.ICommand</b> that increments <a href="#">FirstOverflowIndex</a> .
	<a href="#">SmallIconTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a SmallIconTemplate property defined.
	<a href="#">SnapsToDevicePixels</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)





















	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Template</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">TemplatedParent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTip</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Uid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">UnselectedContentMode</a>	Gets or sets what is done with the content of unselected items.
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## Public Methods

Name	Description
------	-------------

≡	<a href="#">AddHandler</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">AddToEventRoute</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyAnimationClock</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">BeginAnimation</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">BeginInit</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡	<a href="#">BeginStoryboard</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">BringIntoView</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureStylus</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureTouch</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ClearValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡	<a href="#">CoerceValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">ContainerFromElement</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡	<a href="#">EndInit</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡	<a href="#">Equals</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">FindCommonVisualAncestor</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)

≡ 	<a href="#">FindResource</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">Focus</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">GetHashCode</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">GetLocalValueEnumerator</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">InputHitTest</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">InvalidateProperty</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">InvalidateVisual</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">IsAncestorOf</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">IsDescendantOf</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">IsItemItsOwnContainer</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡ 	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">MoveFocus</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookBar</a> control when a new template is applied.
≡ 	<a href="#">PointFromScreen</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">PointToScreen</a>	(Inherited from System.Windows.Media.Visual)





















≡	<a href="#">PredictFocus</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">RaiseEvent</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">RegisterName</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">ReleaseAllTouchCaptures</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReleaseStylusCapture</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReleaseTouchCapture</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">SetBinding</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">SetCurrentValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">SetResourceReference</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">SetValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡	<a href="#">ToString</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡	<a href="#">TransformToAncestor</a>	Overloaded. (Inherited from System.Windows.Media.Visual)
≡	<a href="#">TransformToDescendant</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">TranslatePoint</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">TryFindResource</a>	(Inherited from System.Windows.FrameworkElement)





















≡💎	<a href="#">UnregisterName</a>	(Inherited from System.Windows.FrameworkElement)
≡💎	<a href="#">UpdateDefaultStyle</a>	(Inherited from System.Windows.FrameworkElement)
≡💎	<a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)

[Top](#)





















## Public Events




















	Name	Description
⚡	<a href="#">ContextMenuClosing</a>	(Inherited from System.Windows.FrameworkElement)
⚡	<a href="#">ContextMenuOpening</a>	(Inherited from System.Windows.FrameworkElement)
⚡	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
⚡	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">FocusableChanged</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GiveFeedback</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GotMouseCapture</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GotStylusCapture</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">GotTouchCapture</a>	(Inherited from System.Windows.UIElement)
⚡	<a href="#">Initialized</a>	(Inherited from System.Windows.FrameworkElement)



















	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsHitTestVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostTouchCapture</a>	(Inherited from System.Windows.UIElement)

	<a href="#">ManipulationBoundaryFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationCompleted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationDelta</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationInertiaStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseDoubleClick</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">MouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragOver</a>	(Inherited from System.Windows.UIElement)



	<a href="#">PreviewDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewKeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewKeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewLostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseDoubleClick</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">PreviewMouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewQueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusInAirMove</a>	(Inherited from System.Windows.UIElement)

	<a href="#">PreviewStylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusSystemGesture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryCursor</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RequestBringIntoView</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SelectedIndexChanged</a>	Event raised when the <b>SelectedIndex</b> property has changed.
	<a href="#">SelectedItemChanged</a>	Event raised when the <b>SelectedItem</b> property has changed.
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SourceUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">StylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusDown</a>	(Inherited from System.Windows.UIElement)

	<a href="#">StylusEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInAirMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusSystemGesture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TargetUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ToolTipClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTipOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

## C1OutlookBar Constructor

Initializes a new instance of a [C1OutlookBar](#).

### Syntax

Visual Basic (Declaration)	
<b>Public Function New()</b>	
C#	
<b>public</b> C1OutlookBar()	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### Methods




















%%scrap%%





















" -->



















For a list of all members of this type, see [C1OutlookBar members](#).

### Public Methods

	Name	Description
⇒	<a href="#">AddHandler</a>	Overloaded. (Inherited from System.Windows.UIElement)
⇒	<a href="#">AddToEventRoute</a>	(Inherited from System.Windows.UIElement)
⇒	<a href="#">ApplyAnimationClock</a>	Overloaded. (Inherited from System.Windows.UIElement)
⇒	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.FrameworkElement)

≡ 	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">BeginAnimation</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡ 	<a href="#">BeginInit</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡ 	<a href="#">BeginStoryboard</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">BringIntoView</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">CaptureStylus</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">CaptureTouch</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">ClearValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">CoerceValue</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">ContainerFromElement</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡ 	<a href="#">EndInit</a>	(Inherited from System.Windows.Controls.ItemsControl)
≡ 	<a href="#">Equals</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">FindCommonVisualAncestor</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">FindResource</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">Focus</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)

⇒ 	<a href="#">GetHashCode</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">GetLocalValueEnumerator</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">InputHitTest</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">InvalidateProperty</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">InvalidateVisual</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">IsAncestorOf</a>	(Inherited from System.Windows.Media.Visual)
⇒ 	<a href="#">IsDescendantOf</a>	(Inherited from System.Windows.Media.Visual)
⇒ 	<a href="#">IsItemItsOwnContainer</a>	(Inherited from System.Windows.Controls.ItemsControl)
⇒ 	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">MoveFocus</a>	(Inherited from System.Windows.FrameworkElement)
⇒ 	<a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookBar</a> control when a new template is applied.
⇒ 	<a href="#">PointFromScreen</a>	(Inherited from System.Windows.Media.Visual)
⇒ 	<a href="#">PointToScreen</a>	(Inherited from System.Windows.Media.Visual)
⇒ 	<a href="#">PredictFocus</a>	(Inherited from System.Windows.FrameworkElement)
⇒ 	<a href="#">RaiseEvent</a>	(Inherited from System.Windows.UIElement)
⇒ 	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
⇒ 	<a href="#">RegisterName</a>	(Inherited from System.Windows.FrameworkElement)

⇒  <a href="#">ReleaseAllTouchCaptures</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">ReleaseStylusCapture</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">ReleaseTouchCapture</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">SetBinding</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">SetCurrentValue</a>	(Inherited from System.Windows.DependencyObject)
⇒  <a href="#">SetResourceReference</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">SetValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
⇒  <a href="#">ToString</a>	(Inherited from System.Windows.Controls.ItemsControl)
⇒  <a href="#">TransformToAncestor</a>	Overloaded. (Inherited from System.Windows.Media.Visual)
⇒  <a href="#">TransformToDescendant</a>	(Inherited from System.Windows.Media.Visual)
⇒  <a href="#">TransformToVisual</a>	(Inherited from System.Windows.Media.Visual)
⇒  <a href="#">TranslatePoint</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">TryFindResource</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">UnregisterName</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">UpdateDefaultStyle</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)

[Top](#)

## See Also

Reference

[C1OutlookBar Class](#)  
[C1.WPF.OutlookBar Namespace](#)

OnApplyTemplate Method

Builds the visual tree for the [C1OutlookBar](#) control when a new template is applied.

Syntax

Visual Basic (Declaration)	
<code>Public Overrides Sub OnApplyTemplate()</code>	
C#	
<code>public override void OnApplyTemplate()</code>	

Remarks

This method is invoked whenever application code or an internal process, such as a rebuilding layout pass, calls the **ApplyTemplate** method.

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)



Properties

%%scrap%%




















" -->




















For a list of all members of this type, see [C1OutlookBar members](#).





















Public Properties





















	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)







































	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AlternationCount</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">AreAnyTouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BindingGroup</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">BitmapEffect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BitmapEffectInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ClipToBounds</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CollapsedContent</a>	Gets or sets a value to display in the content area when the control is collapsed.
	<a href="#">CollapsedTemplate</a>	Gets or sets the DataTemplate to apply to CollapsedContent.
	<a href="#">CommandBindings</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ContentTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a HeaderTemplate property defined.



















	<a href="#">ContextMenu</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DependencyObjectType</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.Threading.DispatcherObject)
	<a href="#">DisplayMemberPath</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Dock</a>	Gets or sets the side taken by the control.
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ExpandedWidth</a>	Gets or sets the horizontal size of the whole control when in expanded mode.
	<a href="#">FirstOverflowIndex</a>	Gets or sets the index of the first item that causes overflow.
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Focusable</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusVisualStyle</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStyle</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontWeight</a>	(Inherited from System.Windows.Controls.Control)

	<a href="#">ForceCursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Foreground</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">GroupStyle</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">GroupStyleSelector</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">HasAnimatedProperties</a>	(Inherited from System.Windows.UIElement)
	<a href="#">HasItems</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Height</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">InputBindings</a>	(Inherited from System.Windows.UIElement)
	<a href="#">InputScope</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsArrangeValid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsExpanded</a>	Gets or sets a value that indicates whether the content of the selected item is shown.
	<a href="#">IsFocused</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsGrouping</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">IsHitTestVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsInitialized</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsInputMethodEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocused</a>	(Inherited from System.Windows.UIElement)

	<a href="#">IsKeyboardFocusWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsLoaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsManipulationEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMeasureValid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptureWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsSealed</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">IsStylusCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsTabStop</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsTextSearchCaseSensitive</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">IsTextSearchEnabled</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">IsVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ItemBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as background of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">ItemBindingGroup</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemContainerGenerator</a>	(Inherited from System.Windows.Controls.ItemsControl)

	<a href="#">ItemContainerStyle</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemContainerStyleSelector</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemForeground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used as foreground of the contained <a href="#">C1OutlookItems</a> .
	<a href="#">Items</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemsPanel</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemsSource</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemStringFormat</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemTemplate</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">ItemTemplateSelector</a>	(Inherited from System.Windows.Controls.ItemsControl)
	<a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LargelconTemplate</a>	Gets or sets the DataTemplate to apply to any item that does not have a LargelconTemplate property defined.
	<a href="#">LayoutTransform</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it has the mouse over.
	<a href="#">Name</a>	(Inherited from System.Windows.FrameworkElement)

	Opacity	(Inherited from System.Windows.UIElement)
	OpacityMask	(Inherited from System.Windows.UIElement)
	OverridesDefaultStyle	(Inherited from System.Windows.FrameworkElement)
	Padding	(Inherited from System.Windows.Controls.Control)
	Parent	(Inherited from System.Windows.FrameworkElement)
	PersistId	(Inherited from System.Windows.UIElement)
	RenderSize	(Inherited from System.Windows.UIElement)
	RenderTransform	(Inherited from System.Windows.UIElement)
	RenderTransformOrigin	(Inherited from System.Windows.UIElement)
	Resources	(Inherited from System.Windows.FrameworkElement)
	SelectedBackground	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	SelectedIndex	Gets or sets the index of the currently selected <a href="#">C1OutlookItem</a> .
	SelectedItem	Gets or sets the selected item or null if the selection is empty.
	ShowFewerButtonsCommand	Gets the <b>System.Windows.Input.ICommand</b> that decrements <a href="#">FirstOverflowIndex</a> .
	ShowMoreButtonsCommand	Gets the <b>System.Windows.Input.ICommand</b> that increments <a href="#">FirstOverflowIndex</a> .
	SmallIconTemplate	Gets or sets the DataTemplate to apply to any item that does not have a SmallIconTemplate property defined.
	SnapsToDevicePixels	(Inherited from System.Windows.UIElement)

	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Template</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">TemplatedParent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTip</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Uid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">UnselectedContentMode</a>	Gets or sets what is done with the content of unselected items.
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

## Reference

[C1OutlookBar Class](#)

[C1.WPF.OutlookBar Namespace](#)

## CollapsedContent Property

Gets or sets a value to display in the content area when the control is collapsed.

## Syntax

Visual Basic (Declaration)

```
Public Property CollapsedContent As System.Object
```

C#

```
public System.object CollapsedContent {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## CollapsedTemplate Property

Gets or sets the DataTemplate to apply to CollapsedContent.

## Syntax

Visual Basic (Declaration)

```
Public Property CollapsedTemplate As System.Windows.DataTemplate
```

C#

```
public System.Windows.DataTemplate CollapsedTemplate {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference



[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### ContentTemplate Property

Gets or sets the DataTemplate to apply to any item that does not have a HeaderTemplate property defined.

### Syntax

Visual Basic (Declaration)	
<code>Public Property ContentTemplate As System.Windows.DataTemplate</code>	
C#	
<code>public System.Windows.DataTemplate ContentTemplate {get; set;}</code>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### Dock Property

Gets or sets the side taken by the control.

### Syntax

Visual Basic (Declaration)	
<code>Public Property Dock As C1HorizontalDock</code>	
C#	
<code>public C1HorizontalDock Dock {get; set;}</code>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

## Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ExpandedWidth Property

Gets or sets the horizontal size of the whole control when in expanded mode.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> ExpandedWidth <b>As</b> System.Double	
C#	
<b>public</b> System.double ExpandedWidth { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### FirstOverflowIndex Property

Gets or sets the index of the first item that causes overflow.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> FirstOverflowIndex <b>As</b> System.Integer	
C#	
<b>public</b> System.int FirstOverflowIndex { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

## Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### IsExpanded Property

Gets or sets a value that indicates whether the content of the selected item is shown.

## Syntax

Visual Basic (Declaration)

```
Public Property IsExpanded As System.Boolean
```

C#

```
public System.bool IsExpanded {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ItemBackground Property

Gets or sets the **System.Windows.Media.Brush** used as background of the contained [C1OutlookItems](#).

## Syntax

Visual Basic (Declaration)

```
Public Property ItemBackground As System.Windows.Media.Brush
```

C#

```
public System.Windows.Media.Brush ItemBackground {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

## ItemForeground Property

Gets or sets the **System.Windows.Media.Brush** used as foreground of the contained [C1OutlookItems](#).

# Syntax

Visual Basic (Declaration)	
<code>Public Property ItemForeground As System.Windows.Media.Brush</code>	
C#	
<code>public System.Windows.Media.Brush ItemForeground {get; set;}</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

## LargeIconTemplate Property

Gets or sets the DataTemplate to apply to any item that does not have a LargeIconTemplate property defined.

# Syntax

Visual Basic (Declaration)	
<code>Public Property LargeIconTemplate As System.Windows.DataTemplate</code>	
C#	
<code>public System.Windows.DataTemplate LargeIconTemplate {get; set;}</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### MouseOverBrush Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it has the mouse over.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> MouseOverBrush <b>As</b> System.Windows.Media.Brush	
C#	
<b>public</b> System.Windows.Media.Brush MouseOverBrush { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### SelectedBackground Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it is selected.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SelectedBackground <b>As</b> System.Windows.Media.Brush	
C#	
<b>public</b> System.Windows.Media.Brush SelectedBackground { <b>get</b> ; <b>set</b> ;}	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

## SelectedIndex Property

Gets or sets the index of the currently selected [C1OutlookItem](#).

# Syntax

Visual Basic (Declaration)	
<code>Public Property SelectedIndex As System.Integer</code>	
C#	
<code>public System.int SelectedIndex {get; set;}</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

## SelectedItem Property

Gets or sets the selected item or null if the selection is empty.

# Syntax

Visual Basic (Declaration)	
<code>Public Property SelectedItem As System.Object</code>	
C#	

```
public System.Object SelectedItem {get; set;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ShowFewerButtonsCommand Property

Gets the **System.Windows.Input.ICommand** that decrements [FirstOverflowIndex](#).

## Syntax

Visual Basic (Declaration)

```
Public ReadOnly Property ShowFewerButtonsCommand As  
System.Windows.Input.ICommand
```

C#

```
public System.Windows.Input.ICommand ShowFewerButtonsCommand {get;}
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ShowMoreButtonsCommand Property

Gets the **System.Windows.Input.ICommand** that increments [FirstOverflowIndex](#).

## Syntax

Visual Basic (Declaration)

```
Public ReadOnly Property ShowMoreButtonsCommand As
```

System.Windows.Input.ICommand	
C#	
<code>public System.Windows.Input.ICommand ShowMoreButtonsCommand {get;}</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### SmallIconTemplate Property

Gets or sets the DataTemplate to apply to any item that does not have a SmallIconTemplate property defined.

## Syntax

Visual Basic (Declaration)	
<code>Public Property SmallIconTemplate As System.Windows.DataTemplate</code>	
C#	
<code>public System.Windows.DataTemplate SmallIconTemplate {get; set;}</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### UnselectedContentMode Property

Gets or sets what is done with the content of unselected items.

## Syntax



Visual Basic (Declaration)	
<b>Public Property</b> UnselectedContentMode <b>As</b> C1.WPF.UnselectedContentMode	
C#	
<b>public</b> C1.WPF.UnselectedContentMode UnselectedContentMode { <b>get</b> ; <b>set</b> ;}	

## Remarks

The default is OutsideVisualTree, which removes from the visual tree the content of unselected items. Changing the property to retain the content of unselected items improves performance at the cost of memory.

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)





## Fields

%%scrap%%

" -->

For a list of all members of this type, see [C1OutlookBar members](#).

## Public Fields

	Name	Description
 <b>S</b>	<a href="#">CollapsedContentProperty</a>	Identifies the <a href="#">CollapsedContent</a> dependency property.
 <b>S</b>	<a href="#">CollapsedTemplateProperty</a>	Identifies the <a href="#">CollapsedTemplate</a> dependency property.
 <b>S</b>	<a href="#">ContentTemplateProperty</a>	Identifies the <a href="#">ContentTemplate</a> dependency property.
 <b>S</b>	<a href="#">DockProperty</a>	Identifies the <a href="#">Dock</a> dependency property.

◆ S	ExpandedWidthProperty	Identifies the <a href="#">ExpandedWidth</a> dependency property.
◆ S	FirstOverflowIndexProperty	Identifies the <a href="#">FirstOverflowIndex</a> dependency property.
◆ S	IsExpandedProperty	Identifies the <a href="#">IsExpanded</a> dependency property.
◆ S	ItemBackgroundProperty	Identifies the <a href="#">ItemBackground</a> dependency property.
◆ S	ItemForegroundProperty	Identifies the <a href="#">ItemForeground</a> dependency property.
◆ S	LargeIconTemplateProperty	Identifies the <a href="#">LargeIconTemplate</a> dependency property.
◆ S	MouseOverBrushProperty	Identifies the <a href="#">MouseOverBrush</a> dependency property.
◆ S	SelectedBackgroundProperty	Identifies the <a href="#">SelectedBackground</a> dependency property.
◆ S	SelectedIndexProperty	Identifies the <a href="#">SelectedIndex</a> dependency property.
◆ S	SelectedItemProperty	Identifies the <a href="#">SelectedItem</a> dependency property.
◆ S	ShowFewerButtonsCommandProperty	Identifies the <a href="#">ShowFewerButtonsCommand</a> dependency property.
◆ S	ShowMoreButtonsCommandProperty	Identifies the <a href="#">ShowMoreButtonsCommand</a> dependency property.
◆ S	SmallIconTemplateProperty	Identifies the <a href="#">SmallIconTemplate</a> dependency property.
◆ S	UnselectedContentModeProperty	Identifies the <a href="#">UnselectedContentMode</a>

		dependency property.
--	--	----------------------

[Top](#)

## See Also

### Reference

[C1OutlookBar Class](#)

[C1.WPF.OutlookBar Namespace](#)

### CollapsedContentProperty Field

Identifies the [CollapsedContent](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly CollapsedContentProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty CollapsedContentProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### CollapsedTemplateProperty Field

Identifies the [CollapsedTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly CollapsedTemplateProperty As System.Windows.DependencyProperty</pre>	

C#

```
public static readonly System.Windows.DependencyProperty  
CollapsedTemplateProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ContentTemplateProperty Field

Identifies the [ContentTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly ContentTemplateProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
ContentTemplateProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### DockProperty Field

Identifies the [Dock](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly DockProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty DockProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ExpandedWidthProperty Field

Identifies the [ExpandedWidth](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly ExpandedWidthProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty ExpandedWidthProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### FirstOverflowIndexProperty Field

Identifies the [FirstOverflowIndex](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly FirstOverflowIndexProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
FirstOverflowIndexProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### IsExpandedProperty Field

Identifies the [IsExpanded](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly IsExpandedProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty IsExpandedProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

## ItemBackgroundProperty Field

Identifies the [ItemBackground](#) dependency property.

### Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly ItemBackgroundProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty ItemBackgroundProperty</code>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

- [C1OutlookBar Class](#)
- [C1OutlookBar Members](#)

## ItemForegroundProperty Field

Identifies the [ItemForeground](#) dependency property.

### Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly ItemForegroundProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty ItemForegroundProperty</code>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

## Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### LargeIconTemplateProperty Field

Identifies the [LargeIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly LargeIconTemplateProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
LargeIconTemplateProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### MouseOverBrushProperty Field

Identifies the [MouseOverBrush](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly MouseOverBrushProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
MouseOverBrushProperty
```

## Requirements



**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### SelectedBackgroundProperty Field

Identifies the [SelectedBackground](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly SelectedBackgroundProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty SelectedBackgroundProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)  
[C1OutlookBar Members](#)

### SelectedIndexProperty Field

Identifies the [SelectedIndex](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly SelectedIndexProperty As System.Windows.DependencyProperty</pre>	
C#	

```
public static readonly System.Windows.DependencyProperty  
SelectedIndexProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### SelectedItemProperty Field

Identifies the [SelectedItem](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly SelectedItemProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty SelectedItemProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ShowFewerButtonsCommandProperty Field

Identifies the [ShowFewerButtonsCommand](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly ShowFewerButtonsCommandProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
ShowFewerButtonsCommandProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### ShowMoreButtonsCommandProperty Field

Identifies the [ShowMoreButtonsCommand](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly ShowMoreButtonsCommandProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
ShowMoreButtonsCommandProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### SmallIconTemplateProperty Field

Identifies the [SmallIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly SmallIconTemplateProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
SmallIconTemplateProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookBar Class](#)

[C1OutlookBar Members](#)

### UnselectedContentModeProperty Field

Identifies the [UnselectedContentMode](#) dependency property.

## Syntax

Visual Basic (Declaration)

```
Public Shared ReadOnly UnselectedContentModeProperty As  
System.Windows.DependencyProperty
```

C#

```
public static readonly System.Windows.DependencyProperty  
UnselectedContentModeProperty
```

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference
















Events





















%%scrap%%





















" -->





















For a list of all members of this type, see [C1OutlookBar members](#).

Public Events




















	Name	Description
	<a href="#">ContextMenuClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ContextMenuOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusableChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotTouchCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Initialized</a>	(Inherited from System.Windows.FrameworkElement)



















	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsHitTestVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostTouchCapture</a>	(Inherited from System.Windows.UIElement)

	<a href="#">ManipulationBoundaryFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationCompleted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationDelta</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationInertiaStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseDoubleClick</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">MouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragOver</a>	(Inherited from System.Windows.UIElement)

	<a href="#">PreviewDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewKeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewKeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewLostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseDoubleClick</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">PreviewMouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewQueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusInAirMove</a>	(Inherited from System.Windows.UIElement)



	<a href="#">PreviewStylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusSystemGesture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryCursor</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RequestBringIntoView</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SelectedIndexChanged</a>	Event raised when the <b>SelectedIndex</b> property has changed.
	<a href="#">SelectedItemChanged</a>	Event raised when the <b>SelectedItem</b> property has changed.
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SourceUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">StylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusDown</a>	(Inherited from System.Windows.UIElement)

	<a href="#">StylusEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInAirMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusSystemGesture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TargetUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ToolTipClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTipOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

SelectedIndexChanged Event

Event raised when the **SelectedIndex** property has changed.

Syntax

Visual Basic (Declaration)	
<code>Public Event SelectedIndexChanged As System.EventHandler(Of PropertyChangedEventArgs(Of Integer))</code>	
C#	
<code>public event System.EventHandler&lt;PropertyChangedEventArgs&lt;int&gt;&gt; SelectedIndexChanged</code>	

Event Data

The event handler receives an argument of type C1.WPF.PropertyChangedEventArgs<T> containing data related to this event. The following **PropertyChangedEventArgs<T>** properties provide information specific to this event.

Property	Description
<b>NewValue</b>	
<b>OldValue</b>	

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

SelectedItemChanged Event

Event raised when the **SelectedItem** property has changed.

Syntax

Visual Basic (Declaration)	
----------------------------	--

Public Event	SelectedItemChanged	As	System.EventHandler(Of
	PropertyChangedEventArgs(Of Object))		
C#			
public event	System.EventHandler<PropertyChangedEventArgs<object>>		
	SelectedItemChanged		

## Event Data

The event handler receives an argument of type C1.WPF.PropertyChangedEventArgs<T> containing data related to this event. The following **PropertyChangedEventArgs<T>** properties provide information specific to this event.

Property	Description
<b>newValue</b>	
<b>OldValue</b>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

- C1OutlookBar Class
- C1OutlookBar Members

## C1OutlookItem

Implements a item inside a [C1OutlookBar](#).

## Object Model

C1OutlookItem

## Syntax

Visual Basic (Declaration)	
Public Class C1OutlookItem	
Inherits System.Windows.Controls.ContentControl	
C#	

```
public class C1OutlookItem : System.Windows.Controls.ContentControl
```

## Inheritance Hierarchy

System.Object  
  System.Windows.Threading.DispatcherObject  
    System.Windows.DependencyObject  
      System.Windows.Media.Visual  
        System.Windows.UIElement  
          System.Windows.FrameworkElement  
            System.Windows.Controls.Control  
              System.Windows.Controls.ContentControl  
                **C1.WPF.OutlookBar.C1OutlookItem**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Members](#)

[C1.WPF.OutlookBar Namespace](#)

## Overview

Organizational charts (often called organization chart, org chart, or organogram) are diagrams that show the structure of an organization and the relationships and relative ranks of its parts and positions/jobs. The term is also used for similar diagrams, for example ones showing the different elements of a field of knowledge or a group of languages.

The [C1OrgChart](#) control allows you to create organizational charts that show any type of hierarchical data. The control leverages the rich data binding mechanisms in WPF and Silverlight to provide a flexible, yet easy-to-use tool.

## See Also

[C1OrgChart Core Properties](#)

[Using Bindings in C1OrgChart Properties](#)

[Advanced Binding Scenarios](#)

## Members

The **FlowDirection** property allows you to specify whether the chart should flow right to left or left to right. By default, the **C1OrgChart** flows left to right. You can change the **FlowDirection** property to **RightToLeft** with the following markup:

XAML	Copy Code
<pre>&lt;c1:C1OrgChart     x:Name="_orgChart" FlowDirection="RightToLeft"     ItemTemplate="{StaticResource EmployeeTemplate }" &gt; &lt;/c1:C1OrgChart&gt;</pre>	

## C1OutlookItem Constructor

Initializes a new instance of a [C1OutlookItem](#).

### Syntax

Visual Basic (Declaration)	
<code>Public Function New()</code>	
C#	
<code>public C1OutlookItem()</code>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

- [C1OutlookItem Class](#)
- [C1OutlookItem Members](#)

### Methods

%%scrap%%





















" -->

For a list of all members of this type, see [C1OutlookItem members](#).

### Public Methods

	Name	Description
≡💎	<a href="#">AddHandler</a>	Overloaded. (Inherited from System.Windows.UIElement)

≡	<a href="#">AddToEventRoute</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyAnimationClock</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">BeginAnimation</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">BeginInit</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">BeginStoryboard</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">BringIntoView</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureStylus</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureTouch</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ClearValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡	<a href="#">CoerceValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">EndInit</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Equals</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">FindCommonVisualAncestor</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">FindResource</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Focus</a>	(Inherited from System.Windows.UIElement)

⇒  <a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">GetHashCode</a>	(Inherited from System.Windows.DependencyObject)
⇒  <a href="#">GetLocalValueEnumerator</a>	(Inherited from System.Windows.DependencyObject)
⇒  <a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
⇒  <a href="#">InputHitTest</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">InvalidateProperty</a>	(Inherited from System.Windows.DependencyObject)
⇒  <a href="#">InvalidateVisual</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">IsAncestorOf</a>	(Inherited from System.Windows.Media.Visual)
⇒  <a href="#">IsDescendantOf</a>	(Inherited from System.Windows.Media.Visual)
⇒  <a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">MoveFocus</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">OnApplyTemplate</a>	Overridden. Builds the visual tree for the <a href="#">C1OutlookItem</a> control when a new template is applied.
⇒  <a href="#">PointFromScreen</a>	(Inherited from System.Windows.Media.Visual)
⇒  <a href="#">PointToScreen</a>	(Inherited from System.Windows.Media.Visual)
⇒  <a href="#">PredictFocus</a>	(Inherited from System.Windows.FrameworkElement)
⇒  <a href="#">RaiseEvent</a>	(Inherited from System.Windows.UIElement)
⇒  <a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)



≡◆	<a href="#">RegisterName</a>	(Inherited from System.Windows.FrameworkElement)
≡◆	<a href="#">ReleaseAllTouchCaptures</a>	(Inherited from System.Windows.UIElement)
≡◆	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
≡◆	<a href="#">ReleaseStylusCapture</a>	(Inherited from System.Windows.UIElement)
≡◆	<a href="#">ReleaseTouchCapture</a>	(Inherited from System.Windows.UIElement)
≡◆	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
≡◆	<a href="#">SetBinding</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡◆	<a href="#">SetCurrentValue</a>	(Inherited from System.Windows.DependencyObject)
≡◆	<a href="#">SetResourceReference</a>	(Inherited from System.Windows.FrameworkElement)
≡◆	<a href="#">SetValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡◆	<a href="#">ToString</a>	(Inherited from System.Windows.Controls.Control)
≡◆	<a href="#">TransformToAncestor</a>	Overloaded. (Inherited from System.Windows.Media.Visual)
≡◆	<a href="#">TransformToDescendant</a>	(Inherited from System.Windows.Media.Visual)
≡◆	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.Media.Visual)
≡◆	<a href="#">TranslatePoint</a>	(Inherited from System.Windows.UIElement)
≡◆	<a href="#">TryFindResource</a>	(Inherited from System.Windows.FrameworkElement)
≡◆	<a href="#">UnregisterName</a>	(Inherited from System.Windows.FrameworkElement)
≡◆	<a href="#">UpdateDefaultStyle</a>	(Inherited from System.Windows.FrameworkElement)
≡◆	<a href="#">UpdateLayout</a>	(Inherited from System.Windows.UIElement)

[Top](#)

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1.WPF.OutlookBar Namespace](#)

## OnApplyTemplate Method

Builds the visual tree for the [C1OutlookItem](#) control when a new template is applied.

# Syntax

Visual Basic (Declaration)	
<code>Public Overrides Sub OnApplyTemplate()</code>	
C#	
<code>public override void OnApplyTemplate()</code>	

# Remarks

This method is invoked whenever application code or an internal process, such as a rebuilding layout pass, calls the **ApplyTemplate** method.

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)


## Properties





















%%scrap%%





















" -->




















For a list of all members of this type, see [C1OutlookItem members](#).





















# Public Properties


















	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
















	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BindingGroup</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">BitmapEffect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BitmapEffectInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BorderBrush</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">BorderThickness</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ClipToBounds</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CommandBindings</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Content</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">ContentStringFormat</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">ContentTemplate</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">ContentTemplateSelector</a>	(Inherited from System.Windows.Controls.ContentControl)

	<a href="#">ContextMenu</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DependencyObjectType</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.Threading.DispatcherObject)
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Focusable</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusVisualStyle</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">FontFamily</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontSize</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStretch</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontStyle</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">FontWeight</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">ForceCursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Foreground</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">HasAnimatedProperties</a>	(Inherited from System.Windows.UIElement)
	<a href="#">HasContent</a>	(Inherited from System.Windows.Controls.ContentControl)
	<a href="#">Header</a>	Gets or sets the value shown above the content when the

		item is selected.
	<a href="#">HeaderTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">Header</a> .
	<a href="#">Height</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HorizontalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">InputBindings</a>	(Inherited from System.Windows.UIElement)
	<a href="#">InputScope</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsArrangeValid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsFocused</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsHitTestVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsInitialized</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsInputMethodEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocused</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsLoaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsManipulationEnabled</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMeasureValid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptureWithin</a>	(Inherited from System.Windows.UIElement)

	<a href="#">IsMouseDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsSealed</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">IsSelected</a>	Gets or sets whether the item is selected.
	<a href="#">IsStylusCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsTabStop</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">IsVisible</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Language</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Largelcon</a>	Gets or sets the object shown for the item when collapsed and to the left of the header when expanded.
	<a href="#">LargelconTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">Largelcon</a> .
	<a href="#">LayoutTransform</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Margin</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MaxWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MinWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">MouseOverBrush</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to

		highlight the control when it has the mouse over.
	<a href="#">Name</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Opacity</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OpacityMask</a>	(Inherited from System.Windows.UIElement)
	<a href="#">OverridesDefaultStyle</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Padding</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Parent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">PersistId</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransform</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransformOrigin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Resources</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SelectedBackground</a>	Gets or sets the <b>System.Windows.Media.Brush</b> used to highlight the control when it is selected.
	<a href="#">SmallIcon</a>	Gets or sets the object shown for the item in the overflow pane and menu. Since the object is placed in the visual tree twice, it cannot be a UIElement. Use <a href="#">SmallIconTemplate</a> to create a Image element.
	<a href="#">SmallIconTemplate</a>	Gets or sets a DataTemplate to style the <a href="#">SmallIcon</a> .
	<a href="#">SnapsToDevicePixels</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TabIndex</a>	(Inherited from System.Windows.Controls.Control)

	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Template</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">TemplatedParent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTip</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Uid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalContentAlignment</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.WPF.OutlookBar Namespace](#)

### Header Property

Gets or sets the value shown above the content when the item is selected.

## Syntax



Visual Basic (Declaration)	
<b>Public Property</b> Header <b>As</b> System.Object	
C#	
<b>public</b> System.object Header { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### HeaderTemplate Property

Gets or sets a DataTemplate to style the [Header](#).

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> HeaderTemplate <b>As</b> System.Windows.DataTemplate	
C#	
<b>public</b> System.Windows.DataTemplate HeaderTemplate { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### IsSelected Property

This topic will demonstrate advanced binding scenarios using the **DataTemplateSelector** and **HierarchicalDataTemplate** classes.

1. From the Visual Studio **File** menu select **New** and choose **Project**.
2. In the **New Project** dialog box choose a language in the left-side menu, choose **.NET Framework 4** in the **Framework** drop-down list, and enter **OrgChart** as a name for the project.
3. In the Solution Explorer, right-click the project name and choose **Add Reference**. In the **Add Reference** dialog box, locate and select the following assemblies and click **OK** to add references to your project:
  - o C1.Silverlight
  - o C1.Silverlight.OrgChart
4. Add the xmlns:c1="http://schemas.componentone.com/winfx/2006/xaml" namespace to your namespace declarations in the <Window> tag. This is a more general namespace that will work with most of the **WPF Edition** controls.
5. Add the following XAML markup below the namespace declarations to create the Data Templates:

XAML	Copy Code
<pre> &lt;UserControl.Resources&gt;     &lt;!-- template for Team objects --&gt;     &lt;DataTemplate x:Key="TeamTemplate" &gt;         &lt;Border Background="LightBlue" Padding="4" &gt;             &lt;TextBlock FontStyle="Italic" Text="{Binding Path=Name}" /&gt;         &lt;/Border&gt;     &lt;/DataTemplate&gt;     &lt;!-- template for Division objects --&gt;     &lt;sdk:HierarchicalDataTemplate x:Key="DivisionTemplate"         ItemsSource="{Binding Path=Teams}"         ItemTemplate="{StaticResource TeamTemplate}"         &lt;Border Background="Gold" &gt;             &lt;TextBlock Text="{Binding Path=Name}" FontWeight="Bold" HorizontalAlignment="Center" VerticalAlignment="Center" Padding="20" /&gt;         &lt;/Border&gt;     &lt;/sdk:HierarchicalDataTemplate&gt;     &lt;!-- template for League objects --&gt;     &lt;sdk:HierarchicalDataTemplate x:Key="LeagueTemplate"         ItemsSource="{Binding Path=Divisions}"         ItemTemplate="{StaticResource DivisionTemplate}"         &lt;Border Background="LightCoral" &gt;             &lt;TextBlock Text="{Binding Path=Name}" FontWeight="Bold" HorizontalAlignment="Center" VerticalAlignment="Center" Padding="40" /&gt;         &lt;/Border&gt;     &lt;/sdk:HierarchicalDataTemplate&gt; &lt;/UserControl.Resources&gt; </pre>	

6. Insert the XAML markup below to create your Grid layout, the [C1OrgChart](#) control, and the **ScrollViewer** control:

XAML	Copy Code
<pre> &lt;Grid.RowDefinitions&gt;     &lt;RowDefinition Height="Auto" /&gt;     &lt;RowDefinition Height="118*" /&gt;     &lt;RowDefinition Height="158*" /&gt; &lt;/Grid.RowDefinitions&gt; &lt;!-- sample title --&gt; &lt;StackPanel Orientation="Horizontal" &gt;     &lt;TextBlock Text="C1OrgChart: HierarchicalDataTemplate" FontSize="16" VerticalAlignment="Bottom" /&gt;     &lt;TextBlock Name="_tbTotal" VerticalAlignment="Bottom" /&gt; &lt;/StackPanel&gt; &lt;ScrollViewer Grid.Row="1" HorizontalScrollBarVisibility="Auto" VerticalScrollBarVisibility="Auto" Padding="0" &gt;     &lt;c1:C1OrgChart         Name="_chart" ItemTemplate="{StaticResource LeagueTemplate}"         ConnectorDashArray="1 2" ConnectorStroke="Gray"         HorizontalAlignment="Center" VerticalAlignment="Center" /&gt; &lt;/ScrollViewer&gt; </pre>	

7. Locate a general **TreeView** control in your ToolBox and add that to your application below the `<ScrollViewer></ScrollViewer>` tags. Insert the following into the `<sdk:TreeView>` tag:
- 8.
9. `Name="_tree" Grid.Row="2" ItemTemplate="{StaticResource LeagueTemplate}"`
- 10.
11. Switch to your code view by right-clicking your application and selecting **View Code** from the list.
12. Add the following code directly below the **InitializeComponent()** method:

Visual Basic	Copy Code
<pre> ' create data object Dim league__1 = League.GetLeague() ' show it in C1OrgChart _chart.Header = league__1 ' this has the same effect: _chart.ItemsSource = new object[] { league }; </pre>	

```
' show it in TreeView
_tree.ItemsSource = New Object() {league__1}
```

13.

C#	Copy Code
<pre>// create data object     var league = League.GetLeague();     // show it in C1OrgChart     _chart.Header = league;     // this has the same effect:     //_chart.ItemsSource = new object[] { league };     // show it in TreeView     _tree.ItemsSource = new object[] { league }; }</pre>	

14. Insert the following code to create the teams, Leagues, and Divisions that will appear in the **C1OrgChart** and in the **TreeView** control:

Visual Basic	Copy Code
<pre>Public Class League     Public Property Name() As String         Get             Return m_Name         End Get         Set(value As String)             m_Name = Value         End Set     End Property     Private m_Name As String     Public Property Divisions() As List(Of Division)         Get             Return m_Divisions         End Get         Set(value As List(Of Division))             m_Divisions = Value         End Set     End Class</pre>	

```

End Property
Private m_Divisions As List(Of Division)
Public Shared Function GetLeague() As League
    Dim league = New League()
    league.Name = "Main League"
    league.Divisions = New List(Of Division)()
    For Each div In "North,South,East,West".Split(",")
        Dim d = New Division()
        league.Divisions.Add(d)
        d.Name = div
        d.Teams = New List(Of Team)()
        For Each team In "t1,t2,t3,t4".Split(",")
            Dim t = New Team()
            d.Teams.Add(t)
            t.Name = String.Format("{0} {1}", team, div)
        Next
    Next
    Return league
End Function
End Class

```

15.

C#	Copy Code
<pre> public class League {     public string Name { get; set; }     public List&lt;Division&gt; Divisions { get; set; }     public static League GetLeague()     {         var league = new League();         league.Name = "Main League";         league.Divisions = new List&lt;Division&gt;();         foreach (var div in "North,South,East,West".Split(','))         {             var d = new Division();             league.Divisions.Add(d);             d.Name = div;             d.Teams = new List&lt;Team&gt;();             foreach (var team in "t1,t2,t3,t4".Split(',')) </pre>	

```

        {
            var t = new Team();
            d.Teams.Add(t);
            t.Name = string.Format("{0} {1}", team, div);
        }
    }
    return league;
}

```

16. Add the code below to create the Public Class that will Get and Set the values for the Teams, Divisions, and Leagues:

Visual Basic	Copy Code
<pre> Public Class Division     Public Property Name() As String         Get             Return m_Name         End Get         Set(value As String)             m_Name = Value         End Set     End Property     Private m_Name As String     Public Property Teams() As List(Of Team)         Get             Return m_Teams         End Get         Set(value As List(Of Team))             m_Teams = Value         End Set     End Property     Private m_Teams As List(Of Team) End Class  Public Class Team     Public Property Name() As String         Get             Return m_Name         End Get         Set(value As String)             m_Name = Value         End Set     End Property     Private m_Name As String End Class </pre>	

```


End Property
Private m_Name As String
End Class

```

17.

C#	Copy Code
<pre> public class Division {     public string Name { get; set; }     public List&lt;Team&gt; Teams { get; set; } } public class Team {     public string Name { get; set; } } </pre>	

18. Run your application. Your application should resemble the following image:



## LargeIcon Property

Gets or sets the object shown for the item when collapsed and to the left of the header when expanded.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> LargeIcon <b>As</b> System.Object	
C#	
<b>public</b> System.object LargeIcon { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

## LargeIconTemplate Property

Gets or sets a DataTemplate to style the [LargeIcon](#).

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> LargeIconTemplate <b>As</b> System.Windows.DataTemplate	
C#	
<b>public</b> System.Windows.DataTemplate LargeIconTemplate { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference



[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

### MouseOverBrush Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it has the mouse over.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> MouseOverBrush <b>As</b> System.Windows.Media.Brush	
C#	
<b>public</b> System.Windows.Media.Brush MouseOverBrush { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

### SelectedBackground Property

Gets or sets the **System.Windows.Media.Brush** used to highlight the control when it is selected.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SelectedBackground <b>As</b> System.Windows.Media.Brush	
C#	
<b>public</b> System.Windows.Media.Brush SelectedBackground { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

## Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### SmallIcon Property

Gets or sets the object shown for the item in the overflow pane and menu. Since the object is placed in the visual tree twice, it cannot be a UIElement. Use [SmallIconTemplate](#) to create a Image element.

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SmallIcon <b>As</b> System.Object	
C#	
<b>public</b> System.object SmallIcon { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### SmallIconTemplate Property

Gets or sets a DataTemplate to style the [SmallIcon](#).

## Syntax

Visual Basic (Declaration)	
<b>Public Property</b> SmallIconTemplate <b>As</b> System.Windows.DataTemplate	
C#	
<b>public</b> System.Windows.DataTemplate SmallIconTemplate { <b>get</b> ; <b>set</b> ;}	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)










## Fields

%%scrap%%

" -->

For a list of all members of this type, see [C1OutlookItem members](#).

## Public Fields

	Name	Description
 S	<a href="#">HeaderProperty</a>	Identifies the <a href="#">Header</a> dependency property.
 S	<a href="#">HeaderTemplateProperty</a>	Identifies the <a href="#">HeaderTemplate</a> dependency property.
 S	<a href="#">IsSelectedProperty</a>	Identifies the <a href="#">IsSelected</a> dependency property.
 S	<a href="#">LargelconProperty</a>	Identifies the <a href="#">Largelcon</a> dependency property.
 S	<a href="#">LargelconTemplateProperty</a>	Identifies the <a href="#">LargelconTemplate</a> dependency property.
 S	<a href="#">MouseOverBrushProperty</a>	Identifies the <a href="#">MouseOverBrush</a> dependency property.
 S	<a href="#">SelectedBackgroundProperty</a>	Identifies the <a href="#">SelectedBackground</a> dependency property.
 S	<a href="#">SmallIconProperty</a>	Identifies the <a href="#">SmallIcon</a> dependency property.
 S	<a href="#">SmallIconTemplateProperty</a>	Identifies the <a href="#">SmallIconTemplate</a> dependency property.

[Top](#)

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1.WPF.OutlookBar Namespace](#)

## HeaderProperty Field

Identifies the [Header](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly HeaderProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty HeaderProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

### HeaderTemplateProperty Field

Identifies the [HeaderTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly HeaderTemplateProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty HeaderTemplateProperty</code>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)

[C1OutlookItem Members](#)

## IsSelectedProperty Field

Identifies the [IsSelected](#) dependency property.

### Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly IsSelectedProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty IsSelectedProperty</pre>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

## LargeIconProperty Field

Identifies the [LargeIcon](#) dependency property.

### Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly LargeIconProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty LargeIconProperty</pre>	

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

### See Also

#### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

## LargeIconTemplateProperty Field

Identifies the [LargeIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly LargeIconTemplateProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty LargeIconTemplateProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

## MouseOverBrushProperty Field

Gets or sets a **System.Windows.Media.PenLineCap** that specifies how to paint the end of the connecting lines.

## Syntax

Visual Basic (Declaration)	
<pre>Public Property ConnectorEndLineCap As System.Windows.Media.PenLineCap</pre>	
C#	
<pre>public System.Windows.Media.PenLineCap ConnectorEndLineCap {get; set;}</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OrgChart Class](#)  
[C1OrgChart Members](#)

**SelectedBackgroundProperty Field**  
Identifies the [SelectedBackground](#) dependency property.

# Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly SelectedBackgroundProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty SelectedBackgroundProperty</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

**SmallIconProperty Field**  
Identifies the [SmallIcon](#) dependency property.

# Syntax

Visual Basic (Declaration)	
<code>Public Shared ReadOnly SmallIconProperty As System.Windows.DependencyProperty</code>	
C#	
<code>public static readonly System.Windows.DependencyProperty SmallIconProperty</code>	

# Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

### SmallIconTemplateProperty Field

Identifies the [SmallIconTemplate](#) dependency property.

## Syntax

Visual Basic (Declaration)	
<pre>Public Shared ReadOnly SmallIconTemplateProperty As System.Windows.DependencyProperty</pre>	
C#	
<pre>public static readonly System.Windows.DependencyProperty SmallIconTemplateProperty</pre>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookItem Class](#)  
[C1OutlookItem Members](#)

### Events

%%scrap%%





















" -->





















For a list of all members of this type, see [C1OutlookItem members](#).





















## Public Events





















	Name	Description
--	------	-------------


































	<a href="#">ContextMenuClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ContextMenuOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusableChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotTouchCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Initialized</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsHitTestVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCapturedChanged</a>	(Inherited from System.Windows.UIElement)

	<a href="#">IsMouseCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseOverChanged</a>	Event raised when the <b>IsMouseOver</b> property has changed.
	<a href="#">IsStylusCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostTouchCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationBoundaryFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationCompleted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationDelta</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationInertiaStarting</a>	(Inherited from System.Windows.UIElement)

	<a href="#">ManipulationStarted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseDoubleClick</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">MouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewKeyDown</a>	(Inherited from System.Windows.UIElement)

	<a href="#">PreviewKeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewLostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseDoubleClick</a>	(Inherited from System.Windows.Controls.Control)
	<a href="#">PreviewMouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewQueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusInAirMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusSystemGesture</a>	(Inherited from System.Windows.UIElement)

	<a href="#">PreviewStylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryCursor</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RequestBringIntoView</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SourceUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">StylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInAirMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusSystemGesture</a>	(Inherited from System.Windows.UIElement)

	<a href="#">StylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TargetUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ToolTipClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTipOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookItem Class](#)

[C1.WPF.OutlookBar Namespace](#)

### IsMouseOverChanged Event

Event raised when the **IsMouseOver** property has changed.

## Syntax

Visual Basic (Declaration)	
<b>Public Event</b> IsMouseOverChanged <b>As</b> System.EventHandler(Of PropertyChangedEventArgs(Of Boolean))	
C#	
<b>public event</b> System.EventHandler<PropertyChangedEventArgs< <b>bool</b> >> IsMouseOverChanged	

# Event Data

The event handler receives an argument of type `C1.WPF.PropertyChangedEventArgs<T>` containing data related to this event. The following **PropertyChangedEventArgs<T>** properties provide information specific to this event.

Property	Description
<b>newValue</b>	
<b>OldValue</b>	

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

- [C1OutlookItem Class](#)
- [C1OutlookItem Members](#)

## C1OutlookPanel

Internal class. Use only in [C1OutlookBar](#)'s `ItemsPanelTemplate`.

## Object Model

C1OutlookPanel

## Syntax

Visual Basic (Declaration)	
<code>Public NotInheritable Class C1OutlookPanel Inherits System.Windows.Controls.Panel</code>	
C#	
<code>public sealed class C1OutlookPanel : System.Windows.Controls.Panel</code>	

## Inheritance Hierarchy

- System.Object
  - System.Windows.Threading.DispatcherObject
    - System.Windows.DependencyObject
      - System.Windows.Media.Visual

System.Windows.UIElement  
System.Windows.FrameworkElement  
System.Windows.Controls.Panel  
**C1.WPF.OutlookBar.C1OutlookPanel**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookPanel Members](#)  
[C1.WPF.OutlookBar Namespace](#)

## Overview

Internal class. Use only in [C1OutlookBar](#)'s ItemsPanelTemplate.

## Object Model

C1OutlookPanel

## Syntax

Visual Basic (Declaration)

```
Public NotInheritable Class C1OutlookPanel  
    Inherits System.Windows.Controls.Panel
```

C#

```
public sealed class C1OutlookPanel : System.Windows.Controls.Panel
```

## Inheritance Hierarchy

System.Object  
System.Windows.Threading.DispatcherObject  
System.Windows.DependencyObject  
System.Windows.Media.Visual  
System.Windows.UIElement  
System.Windows.FrameworkElement  
System.Windows.Controls.Panel  
**C1.WPF.OutlookBar.C1OutlookPanel**

## Requirements



**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[C1OutlookPanel Members](#)  
[C1.WPF.OutlookBar Namespace](#)

### Members

[Properties](#) [Methods](#) [Events](#)










The following tables list the members exposed by [C1OutlookPanel](#).





















### Public Constructors





















	Name	Description
	<a href="#">C1OutlookPanel Constructor</a>	





















[Top](#)




















### Public Properties

	Name	Description
	<a href="#">ActualHeight</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ActualWidth</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">AllowDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">AreAnyTouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Background</a>	(Inherited from System.Windows.Controls.Panel)
	<a href="#">BindingGroup</a>	(Inherited from System.Windows.FrameworkElement)

	<a href="#">BitmapEffect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">BitmapEffectInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CacheMode</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Children</a>	(Inherited from System.Windows.Controls.Panel)
	<a href="#">Clip</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ClipToBounds</a>	(Inherited from System.Windows.UIElement)
	<a href="#">CommandBindings</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ContextMenu</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Cursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContext</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DependencyObjectType</a>	(Inherited from System.Windows.DependencyObject)
	<a href="#">DesiredSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Dispatcher</a>	(Inherited from System.Windows.Threading.DispatcherObject)
	<a href="#">Effect</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FlowDirection</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Focusable</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusVisualStyle</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ForceCursor</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">HasAnimatedProperties</a>	(Inherited from System.Windows.UIElement)
	<a href="#">HasLogicalOrientationPublic</a>	(Inherited from System.Windows.Controls.Panel)

	Height	(Inherited from System.Windows.FrameworkElement)
	HorizontalAlignment	(Inherited from System.Windows.FrameworkElement)
	InputBindings	(Inherited from System.Windows.UIElement)
	InputScope	(Inherited from System.Windows.FrameworkElement)
	IsArrangeValid	(Inherited from System.Windows.UIElement)
	IsEnabled	(Inherited from System.Windows.UIElement)
	IsFocused	(Inherited from System.Windows.UIElement)
	IsHitTestVisible	(Inherited from System.Windows.UIElement)
	IsInitialized	(Inherited from System.Windows.FrameworkElement)
	IsInputMethodEnabled	(Inherited from System.Windows.UIElement)
	IsItemsHost	(Inherited from System.Windows.Controls.Panel)
	IsKeyboardFocused	(Inherited from System.Windows.UIElement)
	IsKeyboardFocusWithin	(Inherited from System.Windows.UIElement)
	IsLoaded	(Inherited from System.Windows.FrameworkElement)
	IsManipulationEnabled	(Inherited from System.Windows.UIElement)
	IsMeasureValid	(Inherited from System.Windows.UIElement)
	IsMouseCaptured	(Inherited from System.Windows.UIElement)
	IsMouseCaptureWithin	(Inherited from System.Windows.UIElement)
	IsMouseDirectlyOver	(Inherited from System.Windows.UIElement)
	IsMouseOver	(Inherited from System.Windows.UIElement)





















	IsSealed	(Inherited from System.Windows.DependencyObject)
	IsStylusCaptured	(Inherited from System.Windows.UIElement)
	IsStylusCaptureWithin	(Inherited from System.Windows.UIElement)
	IsStylusDirectlyOver	(Inherited from System.Windows.UIElement)
	IsStylusOver	(Inherited from System.Windows.UIElement)
	IsVisible	(Inherited from System.Windows.UIElement)
	Language	(Inherited from System.Windows.FrameworkElement)
	LayoutTransform	(Inherited from System.Windows.FrameworkElement)
	LogicalOrientationPublic	(Inherited from System.Windows.Controls.Panel)
	Margin	(Inherited from System.Windows.FrameworkElement)
	MaxHeight	(Inherited from System.Windows.FrameworkElement)
	MaxWidth	(Inherited from System.Windows.FrameworkElement)
	MinHeight	(Inherited from System.Windows.FrameworkElement)
	MinWidth	(Inherited from System.Windows.FrameworkElement)
	Name	(Inherited from System.Windows.FrameworkElement)
	Opacity	(Inherited from System.Windows.UIElement)
	OpacityMask	(Inherited from System.Windows.UIElement)
	OverridesDefaultStyle	(Inherited from System.Windows.FrameworkElement)
	Parent	(Inherited from System.Windows.FrameworkElement)
	PersistId	(Inherited from System.Windows.UIElement)

	<a href="#">RenderSize</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransform</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RenderTransformOrigin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Resources</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SnapsToDevicePixels</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Style</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Tag</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TemplatedParent</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTip</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchesCaptured</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesCapturedWithin</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesDirectlyOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchesOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Triggers</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Uid</a>	(Inherited from System.Windows.UIElement)
	<a href="#">UseLayoutRounding</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">VerticalAlignment</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">Visibility</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Width</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)


## Public Methods

	Name	Description
≡	<a href="#">AddHandler</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">AddToEventRoute</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyAnimationClock</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">ApplyTemplate</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Arrange</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">BeginAnimation</a>	Overloaded. (Inherited from System.Windows.UIElement)
≡	<a href="#">BeginInit</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">BeginStoryboard</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">BringIntoView</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">CaptureMouse</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureStylus</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">CaptureTouch</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ClearValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡	<a href="#">CoerceValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">EndInit</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">Equals</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">FindCommonVisualAncestor</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">FindName</a>	(Inherited from System.Windows.FrameworkElement)

≡ 	<a href="#">FindResource</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">Focus</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">GetAnimationBaseValue</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">GetBindingExpression</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">GetHashCode</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">GetLocalValueEnumerator</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">GetValue</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">InputHitTest</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">InvalidateArrange</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">InvalidateMeasure</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">InvalidateProperty</a>	(Inherited from System.Windows.DependencyObject)
≡ 	<a href="#">InvalidateVisual</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">IsAncestorOf</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">IsDescendantOf</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">Measure</a>	(Inherited from System.Windows.UIElement)
≡ 	<a href="#">MoveFocus</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">OnApplyTemplate</a>	(Inherited from System.Windows.FrameworkElement)
≡ 	<a href="#">PointFromScreen</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">PointToScreen</a>	(Inherited from System.Windows.Media.Visual)
≡ 	<a href="#">PredictFocus</a>	(Inherited from System.Windows.FrameworkElement)


















≡	<a href="#">RaiseEvent</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReadLocalValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">RegisterName</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">ReleaseAllTouchCaptures</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReleaseMouseCapture</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReleaseStylusCapture</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">ReleaseTouchCapture</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">RemoveHandler</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">SetBinding</a>	Overloaded. (Inherited from System.Windows.FrameworkElement)
≡	<a href="#">SetCurrentValue</a>	(Inherited from System.Windows.DependencyObject)
≡	<a href="#">SetResourceReference</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">SetValue</a>	Overloaded. (Inherited from System.Windows.DependencyObject)
≡	<a href="#">TransformToAncestor</a>	Overloaded. (Inherited from System.Windows.Media.Visual)
≡	<a href="#">TransformToDescendant</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">TransformToVisual</a>	(Inherited from System.Windows.Media.Visual)
≡	<a href="#">TranslatePoint</a>	(Inherited from System.Windows.UIElement)
≡	<a href="#">TryFindResource</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">UnregisterName</a>	(Inherited from System.Windows.FrameworkElement)
≡	<a href="#">UpdateDefaultStyle</a>	(Inherited from System.Windows.FrameworkElement)











































	UpdateLayout	(Inherited from System.Windows.UIElement)
---	--------------	---





















[Top](#)





















## Public Events












	Name	Description
	<a href="#">ContextMenuClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ContextMenuOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DataContextChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">DragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">DragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Drop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">FocusableChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">GotTouchCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Initialized</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">IsEnabledChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsHitTestVisibleChanged</a>	(Inherited from System.Windows.UIElement)

	<a href="#">IsKeyboardFocusedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsKeyboardFocusWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsMouseDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCapturedChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusCaptureWithinChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsStylusDirectlyOverChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">IsVisibleChanged</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">KeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LayoutUpdated</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Loaded</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">LostFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostMouseCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostStylusCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">LostTouchCapture</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationBoundaryFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationCompleted</a>	(Inherited from System.Windows.UIElement)

	<a href="#">ManipulationDelta</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationInertiaStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarted</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ManipulationStarting</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">MouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDragOver</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewDrop</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGiveFeedback</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewGotKeyboardFocus</a>	(Inherited from System.Windows.UIElement)

	<a href="#">PreviewKeyDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewKeyUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewLostKeyboardFocus</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseLeftButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseRightButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewMouseWheel</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewQueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusInAirMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewStylusSystemGesture</a>	(Inherited from System.Windows.UIElement)

	<a href="#">PreviewStylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">PreviewTouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryContinueDrag</a>	(Inherited from System.Windows.UIElement)
	<a href="#">QueryCursor</a>	(Inherited from System.Windows.UIElement)
	<a href="#">RequestBringIntoView</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SizeChanged</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">SourceUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">StylusButtonDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusButtonUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInAirMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusInRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusOutOfRange</a>	(Inherited from System.Windows.UIElement)
	<a href="#">StylusSystemGesture</a>	(Inherited from System.Windows.UIElement)

	<a href="#">StylusUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TargetUpdated</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TextInput</a>	(Inherited from System.Windows.UIElement)
	<a href="#">ToolTipClosing</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">ToolTipOpening</a>	(Inherited from System.Windows.FrameworkElement)
	<a href="#">TouchDown</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchEnter</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchLeave</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchMove</a>	(Inherited from System.Windows.UIElement)
	<a href="#">TouchUp</a>	(Inherited from System.Windows.UIElement)
	<a href="#">Unloaded</a>	(Inherited from System.Windows.FrameworkElement)

[Top](#)

## See Also

### Reference

[C1OutlookPanel Class](#)

[C1.WPF.OutlookBar Namespace](#)

## C1OutlookPanel Constructor

### Syntax

Visual Basic (Declaration)

```
Public Function New()
```

C#

```
public C1OutlookPanel()
```

### Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

See Also

Reference

[C1OutlookPanel Class](#)  
[C1OutlookPanel Members](#)

Enumerations

C1HorizontalDock

Specifies how [C1OutlookBar](#) is aligned.

Syntax

Visual Basic (Declaration)	
<pre>Public Enum C1HorizontalDock     Inherits System.Enum</pre>	
C#	
<pre>public enum C1HorizontalDock : System.Enum</pre>	

Members

Member	Description
<b>Left</b>	The control's left edge is docked to the left edge of its containing control.
<b>Right</b>	The control's right edge is docked to the right edge of its containing control.

Inheritance Hierarchy

System.Object  
  System.ValueType  
    System.Enum  
      **C1.WPF.OutlookBar.C1HorizontalDock**

Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

# See Also

## Reference

C1.WPF.OutlookBar Namespace

# SmartAssembly.Attributes Namespace

## Overview

Inheritance Hierarchy

# Classes

	Class	Description
	PoweredByAttribute	

# See Also

## Reference

C1.WPF.OutlookBar.4 Assembly

## Classes

## PoweredByAttribute

# Object Model

PoweredByAttribute

# Syntax

Visual Basic (Declaration)	
Public NotInheritable Class PoweredByAttribute Inherits System.Attribute	
C#	
public sealed class PoweredByAttribute : System.Attribute	

# Inheritance Hierarchy

System.Object  
System.Attribute  
SmartAssembly.Attributes.PoweredByAttribute



## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[PoweredByAttribute Members](#)

[SmartAssembly.Attributes Namespace](#)

## Overview

## Object Model

PoweredByAttribute

## Syntax

Visual Basic (Declaration)

```
Public NotInheritable Class PoweredByAttribute  
    Inherits System.Attribute
```

C#

```
public sealed class PoweredByAttribute : System.Attribute
```

## Inheritance Hierarchy

System.Object

System.Attribute

**SmartAssembly.Attributes.PoweredByAttribute**

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

### Reference

[PoweredByAttribute Members](#)


[SmartAssembly.Attributes Namespace](#)

## Members

[Properties](#) [Methods](#)


The following tables list the members exposed by [PoweredByAttribute](#).

## Public Constructors

	Name	Description
	<a href="#">PoweredByAttribute Constructor</a>	





[Top](#)

## Public Properties

	Name	Description
	<a href="#">TypeId</a>	(Inherited from System.Attribute)

[Top](#)

## Public Methods

	Name	Description
	<a href="#">Equals</a>	(Inherited from System.Attribute)
	<a href="#">GetHashCode</a>	(Inherited from System.Attribute)
	<a href="#">IsDefaultAttribute</a>	(Inherited from System.Attribute)
	<a href="#">Match</a>	(Inherited from System.Attribute)

[Top](#)

## See Also

### Reference

[PoweredByAttribute Class](#)

[SmartAssembly.Attributes Namespace](#)

## PoweredByAttribute Constructor

### Syntax

Visual Basic (Declaration)
<pre>Public Function New( _     ByVal param1 As System.String _ )</pre>

C#

```
public PoweredByAttribute(  
    System.string param1  
)
```

## Parameters

*param1*

## Requirements

**Target Platforms:** Windows 7, Windows Vista SP1 or later, Windows XP SP3, Windows Server 2008 (Server Core not supported), Windows Server 2008 R2 (Server Core supported with SP1 or later), Windows Server 2003 SP2

## See Also

## Reference

[PoweredByAttribute Class](#)

[PoweredByAttribute Members](#)